



Johns Manville

DuraCore™ WF

Prechopped Fiber Glass Strands



Product description:

DuraCore™ WF fiber glass chopped strands are of continuous filament cut at specified lengths. DuraCore™ WF type M193 chopped fibers are coated with a chemical sizing designed for use in wet slurry gypsum applications or any other application that requires dispersion in water.

Benefits:

- superior dispersion of glass fibers in water
- enhanced dispersion in the gypsum matrix

Property	Target	Typical
Fiber Diameter	15.9 µm	15.24 – 16.51 µm ¹
Moisture Content	15.0%	± 3% at time of manufacture
Sizing Content	0.17%	+ 0.13%, - 0.07%
Strand Lengths Available	1/4", 1/2", 3/4" 6 mm, 12 mm, 18 mm Other lengths available upon request	± 1/16"
Water Dispersion	All strands dispersible in tap water	—
Fuzz ²	—	No clumps larger than 2" in diameter
Contamination	No foreign objects	- n -

¹ The average of our fiber diameters will fall within the tolerances shown when following the standard test methods.

ISO 9002

² A matted filament formation of nonaligned fibers that will not disperse in tap water.

Glass Composition:

Borocalcium Alumina Silicate – Type E

Fiber Surface Treatment:

Chemical Sizing – Type 193

Packaging:

Consult Johns Manville for complete information on containers available.

Warranty disclaimer:

The physical (or chemical) properties of Johns Manville products represent typical average values obtained in accordance with accepted test methods at the time of manufacture and are subject to normal manufacturing variations. They are supplied as a technical service and are subject to change without notice. Check the Johns Manville office to assure current information. For a copy of the Johns Manville Limited Warranty and Limitation of Remedy or other product information, contact your local Sales Representative.

US Headquarters

Johns Manville Corporation
717 17th Street
Denver, CO 80202 · USA
Phone: +1 (303) 978 -2000

www.jm.com/DuraCore

Technical Center

Johns Manville Technical Center
10100 West Ute Ave.
Littleton, CO 80127 · USA
Phone: +1 (303) 978 -2000

Customer Service Offices:

Europe

Johns Manville Slovakia, a. s.
Strojársená 1
91799 Trnava · Slovakia
Phone: +421 (0) 33 59 18-249
Fax: +421 (0) 33 59 18-808

Johns Manville Sales GmbH
Faserweg 1
97877 Wertheim · Germany
Phone: +49 (0) 93 42/801-246
Fax: +49 (0) 93 42/801-470

USA

Johns Manville
7500 Dutch Road
Waterville, OH 43566 · USA
Phone: +1 (800) 254-2050
Fax: +1 419 878-1538

Asia

JM Shanghai Nonwovens Co. Ltd.
No. 153 Huaying Road
Qingpu, Shanghai 201700 · P.R. China
Phone: +86 (21) 59 72 83 83 Ext. 804, 858
Fax: +86 (21) 59 72 81 16