



BITUMINOUS

PRODUCT REFERENCE GUIDE

TABLE OF CONTENTS


<p>SBS</p> <p>HOT/COLD APPLIED</p> <p>BASE SHEET</p> <p>DynaBase® DynaBase® PR DynaLastic® 180 S DynaLastic® 250 S DynaPly® T1</p> <p style="text-align: right;">4</p>	<p>HEAT-WELDED</p> <p>BASE SHEET</p> <p>DynaBase® HW DynaWeld™ Base DynaWeld™ 180 S</p> <p style="text-align: right;">9</p>	<p>APP</p> <p>BASE SHEET</p> <p>APPeX® 4S JM APP™ Base Sheet TRICOR™ S BICOR S JM APP™ Base Plus</p> <p style="text-align: right;">16</p>
<p>CAP SHEET</p> <p>DynaGlas® DynaGlas® FR DynaGlas® FR CR G DynaLastic® 180 DynaLastic® 180 FR DynaLastic® 180 FR CR G</p> <p style="text-align: right;">5</p>	<p>CAP SHEET</p> <p>DynaWeld™ Cap DynaWeld™ Cap FR DynaWeld™ Cap FR CR G DynaWeld™ Cap 180 DynaWeld™ Cap 180 FR DynaWeld™ Cap 180 FR CR G</p> <p style="text-align: right;">10</p>	<p>CAP SHEET</p> <p>APPeX® 4.5M APPeX® 4.5M FR APPeX® 4.5M CR G APPeX® 4.5M FR CR G</p> <p style="text-align: right;">17</p>
<p>DynaLastic® 250 DynaLastic® 250 FR DynaLastic® 250 FR CR G DynaKap® T1 DynaKap® FR T1 DynaKap® FR T1 CR G</p> <p style="text-align: right;">6</p>	<p>DynaWeld™ Cap 250 DynaWeld™ Cap 250 FR DynaWeld™ Cap 250 FR CR G DynaKap® FR T1 HW DynaKap® FR T1 HW CR G</p> <p style="text-align: right;">11</p>	<p>TRICOR™ M FR TRICOR™ M FR CR G BICOR M FR</p> <p style="text-align: right;">18</p>
<p>FLASHING</p> <p>DynaFlex® DynaFlex® CR G DynaClad®</p> <p style="text-align: right;">7</p>	<p>SELF-ADHERED</p> <p>BASE SHEET</p> <p>DynaGrip® Base SA/SA DynaGrip® Base SD/SA DynaGrip® Base PR SD/SA DynaGrip® Base PR SA/SA DynaGrip® Base PR P/SA</p> <p style="text-align: right;">12</p>	<p>BUILT-UP ROOFING</p> <p>PermaPly® 28 GasPly® IV GasPly® Premier GlasBase® Plus Ventsulation® Felt GlasTite® Flexible</p> <p style="text-align: right;">20</p>
<p>MECHANICALLY FASTENED</p> <p>BASE SHEET</p> <p>DynaFast® 180 S DynaFast® 180 HW DynaFast® 250 HW</p> <p style="text-align: right;">8</p>	<p>CAP SHEET</p> <p>DynaGrip® Cap DynaGrip® Cap PR</p> <p style="text-align: right;">13</p>	<p>GlasKap® GlasKap® Plus GlasKap® CR G</p> <p style="text-align: right;">21</p>
	<p>VAPOR RETARDERS</p> <p>JM Vapor Barrier SA JM Vapor Barrier SAR</p> <p style="text-align: right;">14</p>	<p>ACCESSORIES</p> <p>MBR® Bonding Adhesive Activator MBR® Bonding Adhesive Base MBR® Cold Application Adhesive DynaSet 1K Adhesive Asphalt Primer</p> <p style="text-align: right;">23</p> <p>DynaTred® Roof Walkway DynaTred® Plus Roof Walkway PermaFlash® System 1-Part PermaFlash® CR G Granules Granules</p> <p style="text-align: right;">24</p>



SBS

styrene-butadiene-styrene modified bitumen With over three decades of experience producing modified bitumen, we understand the science of formulating systems that last. Our SBS is a premium modified bitumen engineered specifically for elasticity and high performance. It is made to withstand even the harshest environments. Multi-ply SBS systems are the most customizable of our low slope commercial roofing offerings, with glass, polyester and composite reinforcements. It can be installed with the widest variety of application methods, including cold applied, heat weld, self-adhered, mechanically fastened and hot applied applications.

HOT/COLD APPLIED SBS BASE SHEET



Component
M
Membrane
Multi-Ply
Single Ply
Type
BS
Base Sheet
PS
Ply Sheet

DynaBase®



Fiber glass-reinforced SBS base or ply sheet.

ASTM D 6163, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90001280



Component
M
Membrane
Multi-Ply
Single Ply
Type
BS
Base Sheet
PS
Ply Sheet

DynaBase® PR



Polyester-reinforced SBS base or ply sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90001284



Component
M
Membrane
Multi-Ply
Single Ply
Type
BS
Base Sheet
PS
Ply Sheet

DynaLastic® 180 S



Polyester-reinforced SBS base or ply sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001364



Component
M
Membrane
Multi-Ply
Single Ply
Type
BS
Base Sheet
FL
Flashing
PS
Ply Sheet

DynaLastic® 250 S



Premium, heavy-duty polyester-reinforced SBS base or ply sheet.


ASTM D 6164, Type II, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001366



Component
M
Membrane
Multi-Ply
Single Ply
Type
BS
Base Sheet
PS
Ply Sheet

DynaPly® T1



Premium fiber glass/polyester combination reinforced SBS base or ply sheet.

ASTM D 6162, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001382

HOT/COLD APPLIED SBS CAP SHEET



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet

DynaGlas®



Fiber glass-reinforced, SBS mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001306



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet


DynaGlas® FR



Fire-retardant, fiber glass-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001337



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet

DynaGlas® FR CR G



Fire-retardant, fiber glass-reinforced, SBS reflective mineral-surfaced, cool roof cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90017970



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet
FL
Flashing

DynaLastic® 180



Polyester-reinforced, SBS, mineral-surfaced cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001314



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet
FL
Flashing

DynaLastic® 180 FR



Fire-retardant, polyester-reinforced, SBS, mineral-surfaced cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001352



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet
FL
Flashing

DynaLastic® 180 FR CR G




Fire-retardant, polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90017975

HOT/COLD APPLIED SBS CAP SHEET



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet
FL
Flashing


DynaLastic® 250



Premium, heavy-duty polyester-reinforced, mineral-surfaced cap or flashing sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001317



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet
FL
Flashing


DynaLastic® 250 FR



Fire-retardant, premium, heavy-duty polyester-reinforced mineral-surfaced cap or flashing sheet

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001354



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet
FL
Flashing

DynaLastic® 250 FR CR G



Fire-retardant, premium, heavy-duty polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90017976



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet
FL
Flashing

DynaKap® T1



Premium fiber glass/polyester combination-reinforced, SBS, mineral-surfaced cap sheet.


ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001302



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet
FL
Flashing


DynaKap® FR T1



Fire-retardant, premium fiber glass/polyester combination-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001333



Component
M
Membrane
Multi-Ply
Type
CS
Cap Sheet
FL
Flashing


DynaKap® FR T1 CR G



Fire-retardant, premium fiber glass/polyester combination-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90017972



Component
M
 Membrane
 Multi-Ply
Type
FL
 Flashing


DynaFlex®



Composite-reinforced, SBS mineral-surfaced flashing sheet.

ASTM D 6221, Type I

SIZE	SKU
36" × 25' (0.91 m × 7.62 m)	90001373



Component
M
 Membrane
 Multi-Ply
Type
FL
 Flashing


DynaFlex® CR G



Composite-reinforced, SBS reflective mineral-surfaced, cool roof flashing sheet.

ASTM D 6221, Type I

SIZE	SKU
36" × 25' (0.91 m × 7.62 m)	90017983



Component
M
 Membrane
 Multi-Ply
Type
CS
 Cap Sheet
FL
 Flashing

DynaClad®




Fiber glass-reinforced, SBS aluminum foil-surfaced cap or flashing sheet.

ASTM D 6298

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	70000336

MECHANICALLY FASTENED SBS BASE SHEET



Component

M

Membrane

Multi-Ply
Single Ply

Type

BS

Base Sheet

FL

Flashing

PS

Ply Sheet

DynaFast® 180 S



Polyester reinforced SBS base sheet for use in mechanically fastened systems.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90015888



Component

M

Membrane

Multi-Ply

Type

BS

Base Sheet

PS

Ply Sheet

DynaFast® 180 HW



Heat Weld



Mechanically Fastened

Polyester-reinforced SBS base or ply sheet for use in mechanically fastened systems.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 15 m)	90015889



Component

M

Membrane

Multi-Ply
Single Ply

Type

BS

Base Sheet

PS

Ply Sheet

DynaFast® 250 HW



Heat Weld



Mechanically Fastened

Premium, heavy-duty polyester-reinforced SBS base or ply sheet for use in mechanically fastened systems.

ASTM D 6164, Type II, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90015890



Component
M
 Membrane
 Multi-Ply
Type
BS
 Base Sheet
PS
 Ply Sheet

DynaBase® HW



Fiber glass-reinforced SBS base or ply sheet.

ASTM D 6163, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90012352



Component
M
 Membrane
 Multi-Ply
Type
BS
 Base Sheet
FL
 Flashing
PS
 Ply Sheet

DynaWeld™ Base



Fiber glass-reinforced SBS base or ply sheet.

ASTM D 6163, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001282



Component
M
 Membrane
 Multi-Ply
Type
BS
 Base Sheet
PS
 Ply Sheet

DynaWeld™ 180 S



Polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001363



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing

DynaWeld™ Cap



Fiber glass-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001311



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing


DynaWeld™ Cap FR



Fire-retardant, fiber glass-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001345



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing

DynaWeld™ Cap FR CR G



Fire-retardant, fiber glass-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90017981



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing

DynaWeld™ Cap 180



Polyester-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001278



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing

DynaWeld™ Cap 180 FR



Fire-retardant, polyester-reinforced, SBS mineral-surfaced cap sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001349



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing

DynaWeld™ Cap 180 FR CR G



Fire-retardant, polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90017979



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing

DynaWeld™ Cap 250



Premium, heavy-duty polyester-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001445



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing


DynaWeld™ Cap 250 FR



Fire-retardant, premium, heavy-duty polyester-reinforced, SBS mineral-surfaced cap sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001348



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing

DynaWeld™ Cap 250 FR CR G



Fire-retardant, premium, heavy-duty polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90017980



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing

DynaKap® FR T1 HW



Premium fiber glass/polyester combination-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001944



- Component**
- M**
Membrane
 - Multi-Ply
 - Type
 - CS**
Cap Sheet
 - FL**
Flashing


DynaKap® FR T1 HW CR G



Premium fiber glass/polyester combination-reinforced mineral-surfaced cap sheet in a variety of multi-ply roofing systems.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90017974



Component
M
Membrane
Multi-Ply
Type
BS
Base Sheet

DynaGrip® Base SA/SA



Self-adhering fiber glass-reinforced SBS base sheet for use with self-adhering cap products.

ASTM D 4601

SIZE	SKU
39 3/8" × 65' 7" (1 m × 19.99 m)	90001286



Component
M
Membrane
Multi-Ply
Type
BS
Base Sheet

DynaGrip® Base SD/SA



Self-adhering, fiber glass-reinforced SBS base sheet.

ASTM D 4601

SIZE	SKU
39 3/8" × 65' 7" (1 m × 19.99 m)	90001287



Component
M
Membrane
Multi-Ply
Type
BS
Base Sheet


DynaGrip® Base PR SD/SA



Self-adhering, polyester-reinforced, SBS base sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90029379



Component
M
Membrane
Multi-Ply
Type
BS
Base Sheet


DynaGrip® Base PR SA/SA



Self-adhering polyester-reinforced, SBS base sheet for use with self-adhering cap products.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90029380



Component
M
Membrane
Multi-Ply
Type
BS
Base Sheet

DynaGrip® Base PR P/SA



Polyolefin burn-off film, top/self-adhering bottom, polyester-reinforced, SBS base sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90029381



Component

M

Membrane

Multi-Ply

Type

CS

Cap Sheet

DynaGrip® Cap



Self-adhering, fiber glass-reinforced SBS mineral-surfaced cap sheet.

SIZE

39 3/8" × 32' 10" (1 m × 10.01 m)

SKU

90001324



Component

M

Membrane

Multi-Ply

Type

CS

Cap Sheet

DynaGrip® Cap PR




Self-adhering, polyester-reinforced, SBS mineral-surfaced cap sheet.

SIZE

39 3/8" × 32' 10" (1 m × 10.01 m)

SKU

90029382



Component

M

Membrane

Multi-Ply

Type

PT

Protection



JM Vapor Barrier SA


Polyethylene-surfaced, self-adhering SBS vapor barrier.

SIZE

45" × 134' (1 m × 40.8 m)

SKU

70001673



Component

M

Membrane

Multi-Ply

Type

PT

Protection



JM Vapor Barrier SAR

Fiber glass-reinforced, polyethylene-surfaced, self-adhering SBS vapor barrier.

SIZE

39 3/8" × 105' (1 m × 32 m)


SKU

90029573



APP

atactic polypropylene modified bitumen APP is tough and economical like a thermoplastic, with the proven waterproofing of asphalt. Our APP is formulated with a premium-grade asphalt with nonwoven polyester, glass fiber or combination reinforcements, exhibiting tremendous strength and weatherability. Choose from a selection of color options so that you can have a long-lasting, beautiful roof.



Component
M
 Membrane
 Multi-Ply
Type
CS
 Cap Sheet
FL
 Flashing
PS
 Ply Sheet


APPeX[®] 4S



Premium polyester-reinforced, APP smooth-surfaced cap or ply sheet.

ASTM D 6222, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90023440



Component
M
 Membrane
 Multi-Ply
Type
BS
 Base Sheet
PS
 Ply Sheet


JM APP[™] Base Sheet



Fiber glass-reinforced APP base or ply sheet.

ASTM D 6509

SIZE	SKU
39 3/8" × 49' 3" (1 m × 15 m)	90001210



Component
M
 Membrane
 Multi-Ply
Type
BS
 Base Sheet
PS
 Ply Sheet


TRICOR[™] S



Premium fiber glass/polyester combination-reinforced APP smooth-surfaced base or ply sheet.

ASTM D 6223, Type II, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001253



Component
M
 Membrane
 Multi-Ply
Type
BS
 Base Sheet
PS
 Ply Sheet


BICOR S



Premium, fiber glass/polyester combination-reinforced, APP smooth base or ply sheet.

ASTM D 6223, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001252



Component
M
 Membrane
 Multi-Ply
Type
BS
 Base Sheet
PS
 Ply Sheet

JM APP[™] Base Plus



Premium fiber glass-reinforced, APP base or ply sheet.

ASTM D 6509

SIZE	SKU
39 3/8" × 49' 3" (1 m × 15 m)	90012656



Component

M

Membrane

Multi-Ply

Type

CS

Cap Sheet

FL

Flashing



APPeX® 4.5M

Premium polyester-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001222
39 3/8" × 32' 10" (1 m × 10.01 m)	Black	90001217



Component

M

Membrane

Multi-Ply

Type

CS

Cap Sheet

FL

Flashing



APPeX® 4.5M FR

Premium fire-retardant, polyester-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001238



Component

M

Membrane

Multi-Ply

Type

CS

Cap Sheet

FL

Flashing



APPeX® 4.5M CR G

Premium polyester-reinforced, APP reflective mineral-surfaced cool roof cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90018507



Component

M

Membrane

Multi-Ply

Type

CS

Cap Sheet

FL

Flashing



APPeX® 4.5M FR CR G

Premium fire-retardant, polyester-reinforced, APP reflective mineral-surfaced cool roof cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90018509



Component
M
 Membrane
 Multi-Ply
Type
CS
 Cap Sheet
FL
 Flashing


TRICOR™ M FR



Premium fire-retardant, fiber glass/polyester combination-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6223, Type II, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001244



Component
M
 Membrane
 Multi-Ply
Type
CS
 Cap Sheet
FL
 Flashing


TRICOR™ M FR CR G



Premium, fire-retardant, fiber glass/polyester combination-reinforced, APP reflective mineral-surfaced cool roof cap or flashing sheet.

ASTM D 6223, Type II, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90018513



Component
M
 Membrane
 Multi-Ply
Type
CS
 Cap Sheet
FL
 Flashing

BICOR M FR



Fire-retardant, fiber glass/polyester-reinforced, APP mineral-surfaced cap or flashing sheet.


ASTM D 6223, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001245




BUILT-UP ROOFING

We pioneered built-up roofing systems in America more than 165 years ago. Our highly reliable waterproof membrane is field-fabricated with layers of bitumen, alternating with plies of reinforcing felts to give you a proven, redundant system.



Component
M
 Membrane
 Multi-Ply
 Single Ply
Type
BS
 Base Sheet
PS
 Ply Sheet

PermaPly® 28



Fiber glass-reinforced, asphalt-coated lightweight base sheet.

ASTM D 4601, Type II

SIZE	SKU
36" × 106' (914 mm × 32.31 m)	90001258



Component
M
 Membrane
 Multi-Ply
 Single Ply
Type
PS
 Ply Sheet

GlasPly® IV



Fiber glass-reinforced, asphalt-coated ply sheet IV.

ASTM D 2178, Type IV

SIZE	SKU
36" × 177' (914 mm × 53.95 m)	90001269



Component
M
 Membrane
 Multi-Ply
 Single Ply
Type
PS
 Ply Sheet

GlasPly® Premier



Premium fiber glass-reinforced, asphalt-coated ply sheet VI.

ASTM D 2178, Type VI

SIZE	SKU
36" × 177' (914 mm × 53.95 m)	90001270



Component
M
 Membrane
 Multi-Ply
 Single Ply
Type
BS
 Base Sheet
PS
 Ply Sheet

GlasBase® Plus



Fiber glass-reinforced, SBS modified bitumen base or ply sheet.

ASTM D 4601, Type II

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90001259



Component
M
 Membrane
 Multi-Ply
Type
BS
 Base Sheet

Ventsulation® Felt



Fiber glass-reinforced, asphalt-coated venting base sheet.


ASTM D 4897, Type II

SIZE	SKU
36" × 36' (914 mm × 10.97 m)	90001257



Component
M
 Membrane
 Multi-Ply
Type
BS
 Base Sheet
FL
 Flashing
PS
 Ply Sheet

GlasTite® Flexible



Polyester/fiber glass-reinforced, asphalt-coated base, ply or flashing sheet.

ASTM D 4601, Type II

SIZE	SKU
36" × 50' (914 mm × 15.24 m)	90001268



Component
M
 Membrane
 Multi-Ply
Type
CS
 Cap Sheet

GlasKap®



Fiber glass-reinforced, mineral-surfaced cap sheet.


ASTM D 3909

SIZE	SKU
36" × 36' (914 mm × 10.97 m)	90001266



Component
M
 Membrane
 Multi-Ply
Type
CS
 Cap Sheet

GlasKap® Plus



Fiber glass-reinforced, SBS modified bitumen, mineral-surfaced cap sheet.

ASTM D 3909

SIZE	SKU
36" × 36' (914 mm × 10.97 m)	90001267



Component
M
 Membrane
 Multi-Ply
Type
CS
 Cap Sheet
FL
 Flashing

GlasKap® CR G



Fiber glass-reinforced, BUR reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 3909

SIZE	SKU
36" × 36' (914 mm × 10.97 m)	90029432



ACCESSORIES




Component
AD
 Adhesive
 Multi-Ply
 Single-Ply
Type
M
 Membrane
B
 Cover Board
I
 Insulation

MBR® Bonding Adhesive Activator



Two-part, solvent-free, elastomeric cold-application adhesive for installing SBS modified bitumen roof membranes.

SIZE	SKU
0.6 gal (2.3 L) jug	70004395



Component
AD
 Adhesive
 Multi-Ply
 Single-Ply
Type
M
 Membrane
B
 Cover Board
I
 Insulation

MBR® Bonding Adhesive Base



Two-part, solvent-free, elastomeric cold-application adhesive for installing SBS modified bitumen roof membranes.

SIZE	SKU
4.4 gal (16.7 L) pail	70000028



Component
AD
 Adhesive
 Multi-Ply
Type
M
 Membrane

MBR® Cold Application Adhesive




Elastomeric cold-application adhesive for installing SBS and APP modified bitumen membranes.

ASTM D 3019, Type III, Grade 2	
SIZE	SKU
4.7 gal (17.8 L) pail	70000015



Component
AD
 Adhesive
 Multi-Ply
Type
M
 Membrane

DynaSet 1K Adhesive



DynaSet 1K is a one-part, solvent-free, moisture-curing adhesive designed to install JM SBS membranes.

SIZE	SKU
5 gal (18.9 L) pail	70008101




Component
PR
 Primer
 Multi-Ply
Type
SU
 Substrate

Asphalt Primer



One-part, specification-grade, penetrating priming solution for multiple substrates prior to the application of a bituminous roofing system.

ASTM D 41, Type II	
SIZE	SKU
4.75 gal (17.9 L) pail	70000810




Component
M
 Membrane
 Multi-Ply
 Type
PT
 Protection

DynaTred® Roof Walkway



Preformed, skid-resistant roof protection pads consisting of modified asphalt, reinforcements and fillers with a ceramic granule surface on both sides. They are durable, resilient and maintenance-free.

SIZE	COLOR	THICKNESS	SKU
32" × 32" (81.3 cm × 81.3 cm)	Black / White	1/4"	90000657
32" × 32" (81.3 cm × 81.3 cm)	White / White	1/4"	90000658



Component
M
 Membrane
 Multi-Ply
 Type
PT
 Protection

DynaTred® Plus Roof Walkway




Preformed, skid-resistant roof protection pads consisting of modified asphalt, reinforcements and fillers with a ceramic granule surface on both sides. They are durable, resilient and maintenance-free.

SIZE	COLOR	THICKNESS	SKU
32" × 32" (81.3 cm × 81.3 cm)	Black / White	1/3"	90000656



Component
L
 Liquid
 Multi-Ply
 Type
FL
 Flashing

PermaFlash® System



Liquid-applied system that can accommodate the most challenging penetration shapes.

SIZE	SKU
4 - 28.7 oz gal (848.8 ml) cartridges 1 roll - 12' (305 mm) × 20' (6.09 m) scrim 1 - 32 oz (946 ml) bottle of primer	70004152



Component
L
 Liquid
 Multi-Ply
 Type
FL
 Flashing

1-Part PermaFlash®



1-Part PermaFlash is a one-part, elastomeric, liquid-applied flashing material designed for flashing penetrations on granulated JM bituminous membranes.

SIZE	SKU
2 - 1 gal (3.8 l) pails	70008208
5 gal (19 l) pail	70008209



Component
ST
 Surface
 Treatment
 Multi-Ply
 Type
PT
 Protection

CR G Granules



Reflective Roofing Granules: Bright white granules specifically designed for high reflectivity and durability.

SIZE	COLOR	SKU
41 lb (18.6 kg) bag	White	90029697



Component
ST
 Surface
 Treatment
 Multi-Ply
 Type
PT
 Protection

Granules



Ceramic-Coated Roofing Granules: Specifically engineered for optimal embedment in the bitumen. These granules are colored with durable pigments, bonded in a ceramic matrix and treated to promote excellent long-term adhesion.

SIZE	COLOR	SKU
50 lb (22.68 kg) bag	White	90029701
50 lb (22.68 kg) bag	Black	90029702



717 17th St.
Denver, CO 80202
(800) 922-5922
www.jm.com/roofing

@JohnsManvilleRoofing



@JMRoofingSystem



JohnsManvilleRoofingSystems



Johns Manville Commercial
Roofing Systems



Above It All

