

Polyester Spunbond Filter Media

Version 1.1

Revision Date 04/03/2018

Print Date 04/03/2018

SECTION 0. GENERAL INFORMATION

This item meets the definition of article in the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Johns Manville has committed to communicate to its customers the appropriate information for assuring the safe handling and use of its products.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Trade name : Evalith™ 40 - A40

Manufacturer or supplier's details

Company : Johns Manville

Address : P.O. Box 5108
Denver, CO USA 80127

Telephone : +1 303-978-2000 8:00 a.m.-5:00 p.m. M-F

Emergency telephone number : 1-800-424-9300 (Chemtrec, in English)

Prepared by : productsafety@jm.com

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Continuous bicomponent filament polyester nonwovens with a low-melt sheath layer, manufactured using Spunbond technology.

Hazardous components

No ingredients are hazardous according to OSHA criteria.

SECTION 4. FIRST AID MEASURES

General advice : If used as directed, first aid measures are generally not necessary.

If inhaled : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

In case of skin contact : No hazards which require special first aid measures.

In case of eye contact : No hazards which require special first aid measures.

Polyester Spunbond Filter Media

Version 1.1

Revision Date 04/03/2018

Print Date 04/03/2018

If swallowed : No hazards which require special first aid measures.

Most important symptoms and effects, both acute and delayed : No symptoms known or expected.

SECTION 5. FIREFIGHTING MEASURES

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Standard procedure for chemical fires.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up : Use mechanical handling equipment.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Handle in accordance with good industrial hygiene and safety practices.

Materials to avoid : Strong oxidizing agents, Strong acids and strong bases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

None known.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Remarks : Protective gloves

Eye protection : Safety glasses

Skin and body protection : If used and stored as directed, no special protective equipment is necessary.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

Polyester Spunbond Filter Media

Version 1.1

Revision Date 04/03/2018

Print Date 04/03/2018

Written instructions for handling must be available at the work place.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : nonwoven
Colour : various

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No hazards to be specially mentioned.
No decomposition if stored and applied as directed.
Conditions to avoid : Do not expose to temperatures above: 300 °C
Incompatible materials : Strong oxidizing agents
Strong acids and strong bases

SECTION 11. TOXICOLOGICAL INFORMATION**Further information**

These products are articles that in their marketed form do not represent a health hazard by inhalation, skin contact or swallowing.

SECTION 12. ECOLOGICAL INFORMATION**Further information**

Due to the properties of the product, a hazard to the environment may not be expected.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Disposal of residual product : Uncontaminated product:
may be reused.
Contaminated product:
In compliance with current waste regulations, the product
must be brought to a suitable disposal plant.

Polyester Spunbond Filter Media

Version 1.1

Revision Date 04/03/2018

Print Date 04/03/2018

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. Packaging that cannot be reused after cleaning must be disposed or recycled in accordance with all federal, national and local regulations.

SECTION 14. TRANSPORT INFORMATION**International transport regulations**

These products are not classified as dangerous goods according to international transport regulations.

SECTION 15. REGULATORY INFORMATION**TSCA list****Clean Air Act****US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

DSL : All components of this product are on the Canadian DSL

SECTION 16. OTHER INFORMATION**Further information**

Prepared by productsafety@jm.com

The information provided in this Safe Use Instruction (SUI) is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and emergency response and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.