



Canadian Residential and Commercial Construction

CANADA
Updated: 4th Quarter 2013

CONTACT INFORMATION

Denver **Extension**
Phone #: 800-644-4013 6476 or 6478
Fax: 800-654-8173
E-mail: JMDenverBICSC@jm.com

CHECK PRODUCT AVAILABILITY BY PLANT

DEFICIT FREIGHT MAY BE CHARGED FOR PRODUCTS SHIPPED OUTSIDE OF JM PLANT'S NORMAL SERVICE AREA

Availability by Plant:

"X" = In Stock

"L" = Limited Quantity on Hand, Possible Lead-time

"M" = Made to Order, Possible Extended Lead Time (1 Truckload Minimum)

BATTS - WOOD STUD FRAMING

Product Description						Pcs. Per Bag	Sq. Ft. Per Bag	Sq. Ft. Per Sleeve	Sq. Ft. Per Cube		Availability
R-Value	Item Order Number	SAP #	Width x Length	Form	Thick Inches					Bag/TL	Innisfail
Unfaced EasyFit®											
R-12	ER1257	90004987	15" x 47"	Batts	3.50"	18	88.12	528.72	1586.16	1080	X
	ER1258	90004988	15" x 48"	Batts	3.50"	18	90.00	540.00	1620.00	1008	L
R-13	ER1347	90003740	14.75" x 47"	Batts	3.50"	12	57.77	346.62	1039.86	1080	M
R-20	ER2057	90004992	15" x 47"	Batts	6.00"	10	48.95	293.70	881.10	1080	X
	ER2058	90004994	15" x 48"	Batts	6.00"	10	50.00	300.00	900.00	1008	L
	ER2037	90004990	23" x 47"	Batts	6.00"	10	75.06	375.30	750.60	560	X
	ER2038	90004991	23" x 48"	Batts	6.00"	10	76.66	383.3	766.600	520	L
Unfaced											
R-8	C858	90003764	15" x 48"	Batts	2.50"	28	140.00	840	2520.00	1008	L
	C838	90003762	23" x 48"	Batts	2.50"	28	214.66	1073.30	2146.60	520	M
R-12	R1257	90007141	15" x 47"	Batts	3.50"	18	88.12	528.72	1586.16	1080	X
	R1298	90007143	19" x 48"	Batts	3.50"	18	114.00	570.00	N/A	650	L
	R1237	90007139	23" x 47"	Batts	3.50"	18	135.12	675.6	1351.20	560	X
	R1238	90007140	23" x 48"	Batts	3.50"	18	138.00	690.00	1380.00	520	M
R-14	R1457	90007145	15" x 47"	Batts	3.50"	10	48.95	293.7	N/A	1080	X
	C1437	90003748	23" x 47"	Batts	3.50"	12	90.08	450.4	N/A	560	L
R-20	R2057	90007168	15" x 47"	Batts	6.00"	10	48.95	293.7	881.10	1080	X
	R2057JS	90009870	15" x 47"	Batts	6.00"	16	78.32	391.6	N/A	780	X
	R2098	90007170	19" x 48"	Batts	6.00"	10	63.33	316.65	N/A	650	X
	R2037	90007166	23" x 47"	Batts	6.00"	10	75.06	375.3	750.60	560	X
R-22	R2257	90015995	15" x 47"	Batts	5.50"	10	48.96	293.76	881.33	936	X
	R2298	97000032	19" x 48"	Batts	5.50"	7	44.92	224.6	N/A	650	L
	R2237	90015997	23" x 47"	Batts	5.50"	10	75.08	375.3	750.76	520	X
R-24	R2447	90015998	14.75" x 47"	Batts	5.50"	8	38.52	192.6	577.80	780	X
	R2457	90014796	14.75" x 47"	Batts	6.00"	7	33.70	202.2	606.60	1008	L
	R2427	90015626	22.75" x 47"	Batts	5.50"	7	51.98	259.9	519.80	520	L
	R2437	90014794	22.75" x 47"	Batts	6.00"	7	51.98	259.9	519.80	520	L
R-28	C2858	90003757	15" x 48"	Batts	8.50"	8	40.00	240.00	N/A	1008	X
	R2898	90007221	19" x 48"	Batts	8.50"	8	50.66	253.3	N/A	650	L
	C2838	90007219	23" x 48"	Batts	8.50"	8	61.33	306.65	N/A	520	L
R-28C	DH2857S6	90004884	15" x 47"	Batts	7.00"	7	34.27	205.62	N/A	780	L
	DH2837SX	90004883	23" x 47"	Batts	7.00"	7	52.55	262.75	N/A	520	L

BATTS - STEEL STUD FRAMING

Product Description						Pcs. Per Bag	Sq. Ft. Per Bag	Sq. Ft. Per Sleeve	Sq. Ft. Per Cube		Availability
R-Value	Item Order Number	SAP #	Width x Length	Form	Thick Inches					Bag/TL	Innisfail
Unfaced											
R-8	C868	90003765	16" x 48"	Batts	2.50"	28	149.33	746.65	2239.95	840	L
	C848	90003763	24" x 48"	Batts	2.50"	28	224.00	1120.00	2240.00	520	L
R-12	C1268	90003746	16" x 48"	Batts	3.50"	18	96.00	480.00	1440.00	840	X
	C1248	90003744	24" x 48"	Batts	3.50"	18	144.00	720.00	1440.00	520	L
R-20	C2068	90003755	16" x 48"	Batts	6.00"	10	53.33	266.65	799.95	840	X
	C2048	90003754	24" x 48"	Batts	6.00"	10	80.00	400.00	800.00	520	X
R-28	R2868	90007220	16" x 48"	Batts	8.50"	8	42.66	213.3	639.90	840	X
	R2848	90003684	24" x 48"	Batts	8.50"	8	64.00	320	640.00	520	X
R-31	C3168	90003758	16" x 48"	Batts	9.50"	8	42.66	213.30	639.90	840	L
	R3148	90007263	24" x 48"	Batts	9.50"	8	64.00	320.00	640.00	520	L
R-35	C3568	90003759	16" x 48"	Batts	10.50"	7	37.33	186.65	559.95	840	M
	R3548	90007264	24" x 48"	Batts	10.50"	7	56.00	280.00	560.00	520	X



CANADA
Updated: 4th Quarter 2013

Canadian Residential and Commercial Construction

CONTACT INFORMATION

Denver **Extension**
Phone #: 800-644-4013 6476 or 6478
Fax: 800-654-8173
E-mail: JMDenverBICSC@jm.com

CHECK PRODUCT AVAILABILITY BY PLANT

DEFICIT FREIGHT MAY BE CHARGED FOR PRODUCTS SHIPPED OUTSIDE OF JM PLANT'S NORMAL SERVICE AREA

Availability by Plant:

"X" = In Stock

"L" = Limited Quantity on Hand, Possible Lead-time

"M" = Made to Order, Possible Extended Lead Time (1 Truckload Minimum)

BATTS - STEEL STUD FRAMING

Product Description						Pcs. Per Bag	Sq. Ft. Per Bag	Sq. Ft. Per Sleeve	Sq. Ft. Per Cube		Availability
R-Value	Item Order Number	SAP #	Width x Length	Form	Thick Inches					Bag/TL	Innisfail
Unfaced											
R-40	C4068	90003760	16" x 48"	Batts	11.30"	6	32.00	160.00	480.00	840	L
	R4048	90007265	24" x 48"	Batts	11.30"	6	48.00	240.00	480.00	520	X

MICRO-PAK (24 ROLLS PER CARTON - MAX PER TRUCKLOAD - 12 CARTONS)

Product Description						Pcs. Per Bag	Sq. Ft. Per Bag	Sq. Ft. Per Sleeve	Sq. Ft. Per Cube	Bag/TL	Availability
R-Value	Item Order Number	SAP #	Width x Length	Form	Thick Inches						Innisfail
R-8	MP858	90007043	15" X 48"		2.50"						L

ACOUSTICAL INSULATION

Product Description						Pcs. Per Bag	Sq. Ft. Per Bag	Sq. Ft. Per Sleeve	Sq. Ft. Per Cube		Availability
R-Value	Item Order Number	SAP #	Width x Length	Form	Thick Inches					Bag/TL	Innisfail
Unfaced - Sound-SHIELD® Sound Attenuation Blanket											
	S268	90007338	16" X 48"		2.75"	32	170.66	853.3	N/A	840	M
	S457	90007339	15" X 47"		4.00"	20	97.92	587.5	N/A	1080	X
	S468	90007340	16" X 48"		4.00"	20	106.66	533.3	N/A	840	X
	S668	97000088	16" X 48"		6.00"	11	58.67	293.35	880.1	840	M

BLOWING WOOL

Product Description						Bag Weight (Kg/Bag)	Quantity	Bags/TL	Innisfail
Item Order Number	SAP #	Product Description							
B7007SW	90009456	Attic Protector®				12.2		1053	X
B7008SW	90009458	Climate Pro® Stretch Wrapped Unit				14.3		1014	X
B7008	90009457	Climate Pro® Loose Bags Unit				14.30		1014	X

JM SPIDER®

Item #	SAP #	Product Description	Quantity	Bags/TL	Innisfail
B7004SW	90007363	JM Spider® Stretch Wrapped Unit	57.1 SF / Bag	1014	X
B7005		Adhesive (All Seasons)	275 Gal Tote (TT)		X

SPECIALTY PRODUCTS

Product Description						Pcs. Per Bag	Bags Per Unit	Truck Factor Per Bag		Innisfail
Item Order Number	Bar Codes	Width x Length						2 x28'	53'	
PS 104-22	0-31979-95410-0	48"X22"				50	22	0.130	0.174	X



Canadian Residential and Commercial Construction

CANADA
Updated: 4th Quarter 2013

CONTACT INFORMATION

Denver **Extension**
Phone #: 800-644-4013 6476 or 6478
Fax: 800-654-8173
E-mail: JMDenverBICSC@jm.com

CHECK PRODUCT AVAILABILITY BY PLANT

DEFICIT FREIGHT MAY BE CHARGED FOR PRODUCTS SHIPPED OUTSIDE OF JM PLANT'S NORMAL SERVICE AREA

Availability by Plant:

"X" = In Stock

"L" = Limited Quantity on Hand, Possible Lead-time

"M" = Made to Order, Possible Extended Lead Time (1 Truckload Minimum)

METAL BUILDING

Product Description										Rolls Per Truckload	Availability
Thick Inches	Item Order Number	SAP #	Width x Length	Form	Thick Inches						Innisfail
Microlite XG											
1.00"	T75	90007068	48" x 100'	Roll	1.00"					192	X
1.90"	UMR7	90007912	48" x 110'	Roll	1.90"					192	L
2.75"	UMR10	90007906	48" x 80'	Roll	2.75"					192	X
3.90"	UMR14	90007909	48" x 56'	Roll	3.90"					192	X
PEBS											
3.00"	PE3L	90007086	48" x 90'	Roll	3.00"					192	L
3.50"	PE35L	90007085	48" x 80'	Roll	3.50"					192	L
4.00"	PE4L	90007088	48" x 68'	Roll	4.00"					192	L
5.00"	PE5L	90007090	48" x 55'	Roll	5.00"					192	L
6.00"	PE6LS	90007093	48" x 47'	Roll	6.00"					192	X
8.00"	PE8L	97000028	48" x 34'	Roll	8.00"					192	L
9.00"	PE9L	97000049	48" x 30'	Roll	9.00"					192	L
Pan-Insul											
1.50"	PR15860	97000029	48" x 60'	Roll	1.50"					192	L
1.50"	PBH1.548SX	97000064	24" x 48"	Batt	1.50"	520 Bags/TL - 27 Pieces/Bag - 5 Bags/Sleeve					L

Sheathing

AP™ Foil Faced - Polyisocyanurate Foam Sheathing

Facing	Thickness (in)	SAP Order Number	WxL	Thickne ss (in)	R-Value S770-09	Pieces Per Unit	Sq. Ft. Per Unit	Units Per 48' TL	Cornwall, ON (East & Central)
AP Foil	0.50	90001013	48.0" x 96.0"	0.50	3.0	90	2880	24	X
	0.50	90001015	48.0" x 108.0"	0.50	3.0	90	3240	20	M
	0.75	90001014	48.0" x 96.0"	0.75	4.5	60	1920	24	X
	0.75	90001016	48.0" x 108.0"	0.75	4.5	60	2160	20	X
	1.00	90001019	48.0" x 96.0"	1.00	6.0	45	1440	24	X
	1.00	90001020	48.0" x 108.0"	1.00	6.0	45	1620	20	X
	1.50	90014713	48.0" x 96.0"	1.50	9.0	32	1024	24	X
	2.00	90014714	48.0" x 96.0"	2.00	12.0	24	768	24	X
	2.50	90014715	48.0" x 96.0"***	2.50	15.0	19	608	24	M
	3.00	90014717	48.0" x 96.0"***	3.00	18.0	16	512	24	X
	3.25	90014808	48.0" x 96.0"***	3.25	19.5	13	416	24	M
	3.50	90014718	48.0" x 96.0"***	3.50	21.0	13	416	24	M
	4.00	90014720	48.0" x 96.0"***	4.00	24.0	12	384	24	M

*Cannot score boards that are less than 1" thick

** >2" thick products are manufactured to 48" X 96" however while curing they can shrink 0.5" in length and width which is within the ASTM C1289 requirements



CANADA

Updated: 4th Quarter 2013

Canadian Residential and Commercial Construction

CONTACT INFORMATION

Denver **Extension**
Phone #: 800-644-4013 6476 or 6478
Fax: 800-654-8173
E-mail: JMDenverBICSC@jm.com

CHECK PRODUCT AVAILABILITY BY PLANT

DEFICIT FREIGHT MAY BE CHARGED FOR PRODUCTS SHIPPED OUTSIDE OF JM PLANT'S NORMAL SERVICE AREA

Availability by Plant:

"X" = In Stock

"L" = Limited Quantity on Hand, Possible Lead-time

"M" = Made to Order, Possible Extended Lead Time (1 Truckload Minimum)

NOTES

ADDITIONAL BATT LOADING INFORMATION

LOADING INFORMATION:

	Load Factor	53' TRUCKLOADS		
		Bags/TL	Bags/Sleeve	Sleeves/Cube
15"x47" H.P.	0.093	1080	6	3
15"x48" H.P.	0.099	1008	6	3
16" H.P.	0.119	840	5	3
19" H.P.	0.154	650	5	N/A
23"x47" H.P.	0.179	560	5	2
23"x48" H.P.	0.192	520	5	2
24" H.P.	0.192	520	5	2
BLOWING WOOL	39 Bags/Cube	1053		

NON-STANDARD PRODUCTS - SPECIAL PRODUCT PRICING INQUIRY (SPPI)

Any product not shown on this availability sheet is a non-standard product (SPPI) and is subject to a \$500 set-up charge, minimum order quantities, special pricing, and extended lead times.

The customer is responsible for taking over-runs of up to +10%. Account Managers will submit an SPPI for each new product. The SPPI will be costed and a price returned to the customer within one week. Once pricing is accepted by the customer the product must be set up within the system and added to the plant run schedule. This portion is expected to take three weeks. Therefore, the time expectation from SPPI submittal to shipment of product should be expected to be no less than one month provided acceptance of pricing is confirmed and is not delayed. The duration may be shorter depending upon request - a differing length or width may be a much more simple and attainable request than a differing density. It is at Johns Manville's discretion to consider and accept any request for SPPI materials.

IMPORTANT! Please contact your Johns Manville Building Insulation Representative for exact pricing and availability.

SHIPPING POLICY AND LOADING DATA

Building Insulation Division, a division of Johns Manville International, Inc., reserves the right to ship only in full cars, trailers and trucks. Vehicle sizes may vary. Specify an adjustable item on all orders to allow plants to ship full visible capacity loads. Deficit freight may be charged for products shipped or mixed loads outside of the JM Plant normal service area. Please refer to **Johns Manville Service Guideline for Building Insulations** for latest policy and guidelines pertaining to customer service, delivery and shipping.