

JM Spider® Fiber Glass Blowing Wool

Your home has been professionally insulated
with the _____ system.
(Blow-In-Blanket®, JM Spider Custom Insulation or JM Spider Drill and Fill)

Homeowner's Name _____ Date _____

Address _____

City _____ State _____ ZIP _____

JM SPIDER FIBER GLASS BLOWING WOOL

	R-VALUE	THICKNESS	COVERAGE AREA	NUMBER OF BAGS USED
Ceilings		in.	sq. ft.	
		in.	sq. ft.	
Walls		in.	sq. ft.	
		in.	sq. ft.	
Floors		in.	sq. ft.	
		in.	sq. ft.	

The higher the R-value, the greater the insulating power.

JM SPIDER PREMIUM FIBER GLASS BLOWING WOOL INSULATION

NOMINAL 30-LB. BAG COVERAGE CHART FOR USE IN CLOSED CAVITIES

R-VALUE	CAVITY DEPTH/ INSULATION THICKNESS	DENSITY	MINIMUM WEIGHT PER SQ. FT.	MAXIMUM COVERAGE PER BAG
(HR•ft ² •°F/BTU)	inches	lbs/ft ³	lbs/ft ²	ft ² /bag
13	3.50 <i>(nominal 2x4)</i>	1.00	0.29	102.90
14		1.40	0.41	73.50
15		1.80	0.53	57.10
15	<i>3.50 – Drill & Fill Application</i>	2.20	0.64	46.80
20	5.50 <i>(nominal 2x6)</i>	1.00	0.46	65.50
22		1.40	0.64	46.80
23		1.80	0.83	36.40
24	<i>5.50 – Drill & Fill Application</i>	2.20	1.01	29.80

The coverage per bag shown in the above chart is for the unframed area (cavities only) and does not account for the space taken up by wall studs, plates, headers, corners, window framing, etc. Depending on the construction details in a given structure, gross coverage for the overall wood-framed wall area may exceed the net coverage shown in the chart by 15–25% for 16" o.c. framing and 12–22% for 24" o.c. framing.

READ THIS BEFORE YOU BUY: WHAT YOU SHOULD KNOW ABOUT R-VALUES.

The chart shows the R-value of this insulation. R means resistance to heat flow. The higher the R-value, the greater the insulating power. Compare insulation R-values before you buy. There are other factors to consider. The amount of insulation you need depends mainly on the climate you live in. Also, your fuel savings from insulation will depend upon the climate, the type and size of your house, the amount of insulation already in your house, your fuel-use patterns and family size. To get the marked R-value, it is essential that this insulation be installed properly.

Insulation Contractor Signature _____ Date _____

Company _____ Address _____ Phone _____

Home Builder Signature _____ Date _____

Company _____ Address _____ Phone _____



Visit our website at www.JM.com or call 800-654-3103 | Building Insulation Division P.O. Box 5108 | Denver, CO 80217-5108