

Features and Components

JM PVC RhinoPlate is a 3" (76.2 mm) round specially coated Galvalume®* plate with a recessed center and raised flat bonding surface. The JM PVC RhinoPlate is a roof attachment system that uses heat induction technology.

- Use:** Insulation and PVC Membranes
- Material:** Specially Coated Galvalume
- Plate:** 3" (7.6 cm) round
- Color:** Black
- Deck Type:** Wood, Steel, Structural Concrete, or Structural Purlins

* Galvalume is a registered trademark of BIEC International, Inc. and some of its licensed producers.



Component
F Fastening
Type
I Insulation
M Membrane
Single Ply

Fastener Compatibility

Designed to be used with Johns Manville High Load Fasteners

System Compatibility This product may be used as a component in the following systems. Please reference product application for specific installation methods and information.

Multi-Ply	BUR		APP		SBS				
	HA	CA	CA	HW	HA	CA	HW	CA	MF
Do not use in Multi-Ply systems									

Single Ply	TPO		PVC		EPDM		
	MF	FA	MF	FA	MF	FA	BA
Use to fasten Insulation and Membranes in PVC Single Ply systems							

Key: HA = Hot Applied CA = Cold Applied HW = Heat Weldable SA = Self Adhered MF = Mechanically Fastened FA = Fully Adhered BA = Ballasted

Energy and the Environment

Recycled Content	This steel based product contains a minimum of 25% post consumer recycled materials by weight
------------------	---

Peak Advantage® Guarantee Information

Systems	Guarantee Term
When used in 60 to 80 mil JM PVC systems*	20 years

* Approved to use with any Peak Advantage Guarantee.

Codes and Approvals*



*Fastener approvals are based on system approvals

Installation/Application

Refer to the application instructions guidelines for proper utilization of this product.

Packaging and Dimensions

Plate Size	Quantity per Container
3" (7.6 cm) round	500/pail
Producing Locations*	Agawam, MA and Itasca, IL

* The point of manufacture for fasteners and plates varies depending on the specific part. Call your local JM sales professional for assistance.