




# Torch Applied APPeX<sup>®</sup>

WITH NAIL IN BASE SHEET, UL<sup>®</sup> CODE APPROVALS  
WOOD DECK

- 1. Cap Sheet
- 2. Base Sheet
- 3. Metal Cap Nails
- 4. Wood Deck

MECHANICALLY ATTACHED  
BASE SHEET OVER WOOD DECK



## WEST COAST UL<sup>®</sup> WOOD DECK APPROVALS — NON-INSULATED

| SYSTEM CLASS   | BASE SHEET                                      | CAP SHEET                                | UL FIRE RATING |
|----------------|---|--|----------------|
| CLASS A SYSTEM | 2-Ply PermaPly <sup>®</sup> 28 or G2 Base Sheet | APPeX 4.5M or Dibiten Poly 4.5           | 1/2":12"       |
|                |   | APPeX 4.5M CR G or Dibiten Poly 4.5 CR G | 1/4":12"       |
| CLASS B SYSTEM | 1-Ply PermaPly <sup>®</sup> 28 or G2 Base Sheet | APPeX 4.5M or Dibiten Poly 4.5           | 1/2":12"       |
|                |   | APPeX 4.5M CR G or Dibiten Poly 4.5 CR G | 1/4":12"       |