

**7500 Series**

Version 2.3

Revision Date 07/03/2019

Print Date 07/03/2019

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Trade name : Evalith® 7502 - 7503 - 7503/2EU - 7508 - 7509 - 7511 - 7512  
- 7513 - 7513L+ - 7514 - 7516 - 7517 - 7518 - 7521 - 7522 -  
7524 - 7524X - 7525- 7531 - 7532 - 7534 - 7536 - 7539 -  
7540 - 7542 - 7546 - 7557 - 7571 - 7594, 7560 - 7594

## Manufacturer or supplier's details

Company : Johns Manville  
Address : P.O. Box 5108  
Denver, CO USA 80127  
Telephone : +1-303-978-2000  
Emergency telephone : +1-800-424-9300 (CHEMTREC)  
number

## Recommended use of the chemical and restrictions on use

Recommended use : Battery Separator/Reinforcement, Carpet, Commercial  
Roofing Reinforcement, Duct Insulation Facer, Exterior  
Sheathing, Interior Gypsum Facer, laminated facer component  
in duct insulation systems, polyiso board, Residential Air  
Filtration, Roof Deck Facer, Shingle Reinforcement

Prepared by : productsafety@jm.com

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200 (OSHA HCS 2012) and the Hazardous Products Regulations (WHMIS 2015)**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

Trace amounts of formaldehyde may be released when contacted with moisture, including humidity. This release is most prevalent in conditions of high heat and humidity.

Temporary mechanical abrasion (itching) of skin, eyes and respiratory tract may occur upon exposure to particles during handling of this product and cannot occur unless there is direct contact.

Abrasion effects should subside after cessation of exposure.

When exposures may exceed any applicable exposure limits, use an appropriate NIOSH-certified respirator or dust mask.

Exposure limits are not expected to be exceeded in typical applications.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS****Chemical nature**

Nonwoven webs composed of glass fibers oriented in a random pattern and bonded together with a modified urea formaldehyde resinous binder in a wet laid process. The sized glass fibers in these mats provide excellent mat strength and flexibility.

**7500 Series**

Version 2.3

Revision Date 07/03/2019

Print Date 07/03/2019

**Hazardous components**

Non-hazardous according to 29 CFR 1910.1200 (OSHA HCS 2012) and the Hazardous Products Regulations (WHMIS 2015), when used as intended.

**SECTION 4. FIRST AID MEASURES**

- General advice : Get medical attention if symptoms occur.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off all contaminated clothing immediately.  
If on skin, rinse well with water.  
Get medical attention if irritation develops and persists.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : If symptoms persist, call a physician.  
Rinse mouth with water to remove dust or fibers and drink plenty of water to help reduce irritation.
- Most important symptoms and effects, both acute and delayed : None known.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
- Methods and materials for containment and cleaning up : Take up mechanically.  
Pick up and arrange disposal without creating dust.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : For personal protection see section 8.

## 7500 Series

Version 2.3

Revision Date 07/03/2019

Print Date 07/03/2019

Smoking, eating and drinking should be prohibited in the application area.

- Conditions for safe storage : Keep in a dry, cool place.
- Materials to avoid : No materials to be especially mentioned.
- Further information on storage stability : Stable at normal ambient temperature and pressure.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Inert or Nuisance Dust, Particulates Not Otherwise Regulated (PNOR)	Not Assigned	PEL (Total dust)	15 mg/m <sup>3</sup>	OSHA
		PEL (Respirable fraction)	5 mg/m <sup>3</sup>	OSHA

When exposures may exceed any applicable exposure limits, use an appropriate NIOSH-certified respirator or dust mask.

Exposure limits are not expected to be exceeded in typical applications.

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Long sleeved clothing

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : solid
- Color : No data available
- Odor : slight
- Odor Threshold : No data available

**7500 Series**

Version 2.3

Revision Date 07/03/2019

Print Date 07/03/2019

pH	: Not applicable
Melting point/range	: Not applicable
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: No data available
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: Not applicable
Solubility(ies)	
Water solubility	: Not applicable
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: Not applicable
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	: No data available

## 7500 Series

Version 2.3

Revision Date 07/03/2019

Print Date 07/03/2019

### SECTION 11. TOXICOLOGICAL INFORMATION

<b>IARC</b>	Group 3: Not classifiable as to its carcinogenicity to humans  Glass filament, continuous (Continuous glass filament)
<b>OSHA</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
<b>NTP</b>	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Further information

##### Product:

Remarks: Trace amounts of formaldehyde may be released when contacted with moisture, including humidity. This release is most prevalent in conditions of high heat and humidity. During cutting, milling or other processing of these products, particles may be generated that do not represent a health hazard if below the recommended exposure limits for particles not otherwise regulated (PNOR) (inhalable and respirable fraction). Temporary mechanical abrasion (itching) of skin, eyes and respiratory tract may occur upon exposure to particles during handling of this product and cannot occur unless there is direct contact. Abrasion effects should subside after cessation of exposure. Continuous filament glass fibers do not possess cleavage planes which would allow them to split length-wise into fibers with smaller diameter; rather they break across the fiber, resulting in fibers which are of the same diameter as the original fiber. Microscopic examination of dust from highly chopped and pulverised glass demonstrated the presence of small amounts of respirable dust particles. Among these respirable particles, some were fiber-like in terms of length /diameter ratio (so-called "shards"). It can be clearly observed, however, that they are not regular shaped fibers but irregular shaped particles with fiber-like dimensions. To the best of our knowledge, the exposure levels of these fiber-like dust particles measured at our manufacturing plants are, on an order of magnitude, between 50 to 1000 times below existing occupational exposure limits. Exposures will vary according to environmental and process conditions and exposure duration.

### SECTION 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

No data available

#### **Persistence and degradability**

No data available

#### **Bioaccumulative potential**

No data available

#### **Mobility in soil**

No data available

#### **Other adverse effects**

##### Product:

Additional ecological : Due to the properties of the product, a hazard to the

**7500 Series**

Version 2.3

Revision Date 07/03/2019

Print Date 07/03/2019

information

environment may not be expected.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Disposal of residual product : In accordance with local and national regulations.

**SECTION 14. TRANSPORT INFORMATION****International transport regulations**

These products are not classified as dangerous goods according to international transport regulations.

**SECTION 15. REGULATORY INFORMATION****TSCA list**

TSCA - 5(a) Significant New Use Rule List of Chemicals : Not relevant

U.S. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpart D) : Not relevant

**EPCRA - Emergency Planning and Community Right-to-Know Act****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.


**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)**

 **WARNING:** This product can expose you to chemicals including formaldehyde, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The components of this product are reported in the following inventories:**

TSCA : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

DSL : All components of this product are on the Canadian DSL

**7500 Series**

Version 2.3

Revision Date 07/03/2019

Print Date 07/03/2019

**SECTION 16. OTHER INFORMATION****Further information**

Revision Date : 07/03/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.