

### Features and Components

Termination Bars are 1.34" (3.4 cm) wide, extruded, pre-punched aluminum strips.

Anchor Discs are 2" (5.1 cm) diameter, round, Galvalume®-coated steel discs.

Masonry Nail-In Anchors are one-piece zinc anchors designed for fastening to concrete or masonry walls.


**Use:** Membranes

**Materials:** High Load Fasteners - Corrosion-Resistant Steel  
Zinc Nail-In Anchors - Zinc-Coated Steel  
Anchor Discs - Galvalume  
Termination Bars - Extruded Aluminum

**Color:** Various

**Deck Types:** High Load Fasteners - Wood and 18-24 Gauge Metal  
Zinc Nail-In Anchors - Concrete and Masonry

\* Galvalume is a registered trademark of BIEC International, Inc. and some of its licensed producers.



### System Compatibility This product may be used as a component in the following systems. Please reference product application for specific installation methods and information.

| Multi-Ply                              | BUR |    | APP |    | SBS |    |    |    |    |
|--|-----|----|-----|----|-----|----|----|----|----|
|  | HA  | CA | CA  | HW | HA  | CA | HW | CA | MF |
| <b>Do not use in Multi-Ply systems</b> |     |    |     |    |     |    |    |    |    |

| Single Ply   | TPO |    | PVC |    | EPDM |    |    |
|--|-----|----|-----|----|------|----|----|
|  | MF  | FA | MF  | FA | MF   | FA | BA |
| <b>Use to fasten Membranes in all Single Ply systems</b> |     |    |     |    |      |    |    |

**Key:** HA = Hot Applied CA = Cold Applied HW = Heat Weldable SA = Self Adhered MF = Mechanically Fastened FA = Fully Adhered BA = Ballasted

### Peak Advantage® Guarantee Information

|   |
|---|
| Systems   |
| Approved to use with any Peak Advantage Guarantee |

### Codes and Approvals



### Installation/Application

Termination Bar:

- Secure with JM High Load Fastener or Zinc Nail-In Anchor

Zinc Nail-In Anchor:

- Predrill a 1/4" hole, 1 3/4" deep
- Install anchor using a hammer

### Packaging and Dimensions

| Item                 | Sizes  | Quantity/Container             |
|----------------------|--|--------------------------------|
| Fasteners            | 1 1/4" (3.18 cm) length                            | 1,000/pail                     |
| Nail-In Anchors      | 1 1/4" (3.18 cm) length<br>1/4" (6.35 mm) diameter | 1,000/box                      |
| Anchor Discs         | 2" (5.1 cm) diameter                               | 1,000/box                      |
| Termination Bars     | 1 1/2" (3.4 cm) width<br>10' (3.05 m) length       | 50/tube<br>500' (152.4 m)/tube |
| Producing Locations* | Agawam, MA Cleveland, OH Itasca, IL                |                                |

\* The point of manufacture for fasteners and plates varies depending on the specific part. Call your local JM sales professional for assistance.