

SLIDE FACEPLATE
OVER SCUPPER SLEEVE
(SEE SECTION BELOW)

TOP HEM FILLED
WITH CAULK,
SEAL ALL SIDES

GALVANIZED METAL
FACE PLATE INSTALLED
OVER SCUPPER SLEEVE
PINNED & SEALED TO
EXTERIOR WALL

FACEPLATE ON
EXTERIOR WALL

BACKER ROD &
CAULK AT ALL 4
SIDES OF SLEEVE

SCUPPER SLEEVE
THROUGH WALL

BOTTOM HEM

FASTEN SCUPPER TO
WALL THROUGH JM
TPO WALL FLASHING
(NOT SHOWN)

WOOD NAILER
SECURED TO
DECK UNDER
SCUPPER FLANGE.
ADD WOOD UNDER
FLANGE AND CORED
HOLE AS REQUIRED

NAIL FLANGE OF
SCUPPER THROUGH
FIELD MEMBRANE INTO
WOOD NAILER BELOW
WITH RING SHANK NAILS
3" O.C. STAGGERED

ATTACH AND TERMINATE
WALL FLASHING
ACCORDING TO WALL DETAIL

JM TPO WALL FLASHING

JM TPO REINFORCED
TARGET PATCH OVER SCUPPER

JM TPO DETAIL MEMBRANE PATCHES
SHAPED & HEAT WELDED OVER ALL
4 CORNERS OF TPO TARGET PATCH

JM TPO EDGE SEALANT ALONG
ALL TPO MEMBRANE
FLASHING EDGES IF REQUIRED

HEAT WELDS
1 1/2" (38 mm) MIN.

SET FLANGE INTO
BED OF JM SINGLE
PLY SEALING MASTIC

JM TPO MEMBRANE

JM INSULATION / COVER BOARD

APPROVED DECK

JM SINGLE
PLY LVOC CAULK

FASTENER

FACEPLATE

RIVETS

BACKER ROD
AND CAULK

BOTTOM HEM

TPO COATED SCUPPER
(FABRICATED FROM JM
TPO COATED METAL)
DIMENSIONS VARY

AS SPECIFIED

SCUPPER SECTION A
EXTERIOR WALL

NOTES:

1. REFER TO JOHNS MANVILLE WEBSITE (www.jm.com) FOR MOST UP-TO-DATE INFORMATION.
2. PLEASE SEE SINGLE PLY FLASHING SPECIFICATIONS FOR A FULL DESCRIPTION OF INSTALLATION INSTRUCTIONS AND REQUIREMENTS WHICH ARE CONSIDERED A PART OF THIS DETAIL.
3. ANY CARPENTRY OR METAL WORK SHOULD BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS AND/OR PROJECT SPECIFICATIONS. THESE COMPONENTS SHOULD BE REVIEWED AND APPROVED BY A LICENSED DESIGN PROFESSIONAL.
4. JM TPO EDGE SEALANT IS REQUIRED ON ALL CUT OR NON-ENCAPSULATED EDGES OF REINFORCED MEMBRANE. THIS INCLUDES FACTORY CUT MEMBRANE (SEE DETAIL T-MS-01)

DRAWING NO.

T-DV-06

REPLACES TF-58C

OVERFLOW SCUPPER

MEMBRANE TYPE:
JM TPO

SCALE: N.T.S. ISSUE DATE: 11-17-16 MAXIMUM GUARANTEE TERM: 20 YEAR

Johns Manville is a manufacturer of commercial roofing products and offers this general conceptual information to you as a courtesy. This complimentary assistance is not to be used or relied upon by anyone as a substitute for professional engineering design and documentation required by building code, contract, or applicable law. By accepting these comments you agree they do not constitute any representations, endorsements of, or an assumption by Johns Manville of any liability for either the adequacy of the design of this building or any other material not supplied by Johns Manville.

