



REFER TO DETAIL T-FE-CM4 FOR GRAVEL STOP, OR T-FE-CM6 FOR GUTTER, EAVE AND RAKE ATTACHMENT

WOOD NAILERS (SIZE AS REQ'D) OVER 2X6 NAILERS BETWEEN FLUTES (AT EDGES ONLY)

2X6 WOOD NAILERS BETWEEN FLUTES (AT EDGES ONLY) ATTACHED TO UNDERLYING PURLINS

NOTES:

1. REFER TO JOHNS MANVILLE WEBSITE (www.jm.com) FOR MOST UP-TO-DATE INFORMATION.
2. PLEASE SEE SINGLE PLY FLASHING SPECIFICATIONS FOR A FULL DESCRIPTION OF INSTALLATION INSTRUCTIONS AND REQUIREMENTS WHICH ARE CONSIDERED A PART OF THIS DETAIL.
3. ANY CARPENTRY OR METAL WORK SHOULD BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH LOCAL CODE REQUIREMENTS AND/OR PROJECT SPECIFICATIONS. THESE COMPONENTS SHOULD BE REVIEWED AND APPROVED BY A LICENSED DESIGN PROFESSIONAL.
4. SHEET LAPS MUST NOT END ON FASTENERS.

RHINOPLATE-STANDING SEAM RETRO FIT PURLIN ATTACHEMENT

DRAWING NO. T-FE-V3 REPLACES TB-17	MEMBRANE TYPE: JM TPO MAXIMUM GUARANTEE TERM: 20 YEAR	ISSUE DATE 4-25-16 SCALE N.T.S
---	--	---

Johns Manville is a manufacturer of commercial roofing products and offers this general conceptual information to you as a courtesy. This complimentary assistance is not to be used or relied upon by anyone as a substitute for professional engineering design and documentation required by building code, contract, or applicable law. By accepting these comments you agree they do not constitute any representations, endorsements of, or an assumption by Johns Manville of any liability for either the adequacy of the design of this building or any other material not supplied by Johns Manville.

