

## General Requirements

These general requirements govern the membrane specific guarantee charges and requirements for each membrane and application method. Please refer to the individual requirements as noted on each guarantee charges and requirements page.

All guaranteed installations must follow the guidelines for the requested guarantee as outlined in the JM Built-Up and Modified Bitumen Roofing Manual.

Not all JM specifications are eligible for all JM Peak Advantage Guarantee terms or enhanced coverage. Please contact Guarantee Services for specific requirements.

All deviations to the guarantee requirements must be approved in writing.

All projects requiring a guarantee from JM must be applied for a minimum of 14 days in advance of job start.

JM will inspect only those roof installations which are to be guaranteed and only if a guarantee is registered. If a guarantee is not purchased, JM will not issue any letters that state that a roof has been applied according to JM specifications or recommendations. JM will not be responsible for any review or consultation not resulting in the issuance of a JM guarantee.

All JM multi-ply guarantees are No Dollar Limit (NDL). Guarantee Prices are in US Dollars.

## Guarantee Services

10100 West Ute Ave.  
Littleton, CO 80123  
(800) 922-5922

## Multi-Ply JM Peak Advantage Guarantee Charges and Requirements Pages

Asphalt-Applied/Heat-Weld JM SBS Systems Over Insulation

Asphalt-Applied/Heat-Weld JM SBS Systems Over Nailable Decks

Cold-Applied JM SBS Systems Over Insulation

Cold-Applied JM SBS Systems Over Nailable Decks

Self-Adhering JM SBS Systems Over Insulation

Asphalt-Applied JM BUR Systems Over Insulation

Asphalt-Applied JM BUR Systems Over Nailable Decks

Heat-Weld JM APP Systems Over Insulation

Heat-Weld JM APP Systems Over Nailable Decks

Wind Charges and Requirements

Hail Rider Requirements

Other Services and Approvals

## Asphalt-Applied/Heat-Weld JM SBS Membrane Systems Over Insulation

Term (Yrs.)	Price (US\$/SQ)	Type	Insulation	Cover Board	System <sup>(3)</sup>	Approved Base/Ply(s)	Approved Cap	Flashings	Notes	Wind Rider <sup>(2)</sup>	Hail Rider <sup>(2)</sup>
10	\$8.50 (\$750 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 1 Ply + Cap	Any SBS Base, Any BUR Ply	Any SBS Cap	DF, DC, or DWB + DWC		120 MPH, 140 MPH w/ MF DL180S	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 1 Ply + Cap	Any SBS Base, Any BUR Ply	Any SBS Cap	DF, DC, or DWB + DWC	Proper Prep of Substrate		Yes 1" Max.
15	\$12.50 (\$1,000 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 2 Plies + Cap	Any SBS Base, Any BUR Ply	Any SBS Cap	DF, DC, or DWB + DWC		120 MPH, 140 MPH w/ MF DL180S	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 2 Plies + Cap	Any SBS Base, Any BUR Ply	Any SBS Cap	DF, DC, or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
20	\$17.00 (\$1,500 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 2 Plies + Cap	Any SBS Base, GPP	Any SBS Cap	DF, DC, or DWB + DWC		120 MPH, 140 MPH w/ MF DL180S	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 2 Plies + Cap	Any SBS Base, GPP	Any SBS Cap	DF, DC, or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
25	\$20.00 (\$2,000 Min.)	New	ENRGY 3 (Required)	Approved Cover Board	2 Base + Cap, 3 Plies + Cap	Any SBS Base, GPP	Any SBS Cap CA, or HW	Any SBS Base + DF, DC or DWB + DWC	All Penetrations Flashed w/JM PermaFlash	120 MPH, 130 MPH w/ MF DL180S	Not Avail.
30 <sup>(1)</sup>	\$25.00 (\$2,500 Min.)	New	ENRGY 3 (Required)	Approved Cover Board	2 Base + Cap	Any SBS Base	Any SBS Cap CA <sup>(1)</sup>	Any SBS Base + DF, DC or DWB + DWC	All Penetrations Flashed w/JM PermaFlash	100 MPH	Not Avail.

### Attachment Methods

AA	Asphalt-Applied
HW	Heat-Weld
CA	Cold-Applied
MF	Mechanically Fastened

### Approved SBS Base Sheets

DB	DynaBase
DWB*	DynaWeld Base
DL180S	DynaLastic 180 S
DP	DynaPly T1
DB HW*	DynaBase HW
DP HW*	DynaPly HW
DW 250S*	DynaWeld 250 S
DW 180S*	DynaWeld 180 S
DB PR	DynaBase PR

### Approved Cover Boards

RFB	½" Retro-Fit Board
DrB*	DuraBoard
F	Fesco
RP	Retro-Plus
SR GFB <sup>TM**</sup>	JM SECUROCK

### Approved SBS Cap Sheets

DG	DynaGlas FR, or CR
DK	DynaKap FR T1, or CR
DL180	DynaLastic 180 FR, or CR
DL250	DynaLastic 250 FR, or CR
DWC*	DynaWeld Cap FR, or CR
DWC 180*	DynaWeld Cap 180 FR, or CR
DWC 250*	DynaWeld Cap 250 FR, or CR

### Approved SBS Flashing Sheets

DF	DynaFlex
DC	DynaClad
DWB + DWC	DynaWeld Base + Cap

### Approved BUR Ply Sheets

GP4	GlasPly IV
GPP	GlasPly Premier
PP28	PermaPly 28

### NOTES:

- All wind, hail and ponding water riders are available for an additional charge. Reference individual wind, hail and ponding water rider pages for system requirements and charges.
- Non-JM metal may be included in the standard JM Peak Advantage Guarantee at no charge for pinnacle and Summit Contractors or for a \$2.00 per lineal foot upcharge for Peak Contractors.
- (1) All 30-year SBS Guarantees require either a CR Cap or an application of TopGard 4000.
- (2) All riders require prior written approval of the system requirements from JM Guarantee Services.
- (3) Pinnacle/Summit options available. Please contact local sales rep for details.
- (4) Refer to the NRCA Roofing and Waterproofing Manual, Volume 3 Reroofing Part 1, Section 4.3.6 – Existing System Preparation for guidelines on how to prepare and re-cover over various existing roof systems. Please Contact Guarantee Services for project specific requirements. Insulation may be mechanically fastened or adhered with urethane adhesive. Use of urethane adhesive requires moisture scan and approval of substrate by JM Guarantee Services.

\* Indicates Cover Board or Membrane for Heat Welding

\*\* SECUROCK is a trademark of USG Corporation

## Asphalt-Applied/Heat-Weld JM SBS Membrane Systems Over a Mechanically Fastened Base Sheet

Term (Yrs.)	Price (US\$/SQ)	Type	Base Sheet	Insulation + Cover Board	System <sup>(3)</sup> Over Base Sheet	Approved Base/Ply(s)	Approved Cap	Flashings	Notes	Wind Rider <sup>(2)</sup>	Hail Rider <sup>(2)</sup>
10	\$8.50 (\$750 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 1 Ply + Cap	Any SBS Base, Any BUR Ply	Any SBS Cap	DF, DC, or DWB + DWC		120 MPH, 140 MPH w/ MF DL 180 S	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 1 Ply + Cap	Any SBS Base, Any BUR Ply	Any SBS Cap	DF, DC, or DWB + DWC	Proper Prep of Substrate		Yes 1" Max.
15	\$12.50 (\$1,000 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any SBS Base, Any BUR Ply	Any SBS Cap	DF, DC, or DWB + DWC		120 MPH, 140 MPH w/ MF DL 180 S	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any SBS Base, Any BUR Ply	Any SBS Cap	DF, DC, or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
20	\$17.00 (\$1,500 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any SBS Base, GPP	Any SBS Cap	DF, DC, or DWB + DWC		120 MPH, 140 MPH w/ MF DL 180 S	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any SBS Base, GPP	Any SBS Cap	DF, DC, or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
25	\$20.00 (\$2,000 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	2 Base + Cap, 3 Plies + Cap	Any SBS Base, GPP	Any SBS Cap CA, or HW	Any SBS Base + DF, DC or DWB + DWC	All Penetrations Flashed w/ JM PermaFlash	120 MPH, 130 MPH w/ MF DL 180S	Not Avail.
30 <sup>(1)</sup>	\$25.00 (\$2,500 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	2 Base + Cap	Any SBS Base	Any SBS Cap CA <sup>(1)</sup>	Any SBS Base + DF, DC or DWB + DWC	All Penetrations Flashed w/ wJM PermaFlash	100 MPH	Not Avail.

### Attachment Methods

AA	Asphalt-Applied
HW	Heat-Weld
CA	Cold-Applied
MF	Mechanically Fastened

### Approved SBS Base Sheets

DB	DynaBase
DWB*	DynaWeld Base
DL 180S	DynaLastic 180 S
DP	DynaPly T1
DB HW*	DynaBase HW
DP HW*	DynaPly HW
DW 250S*	DynaWeld 250 S
DW 180S*	DynaWeld 180 S
DB PR	DynaBase PR

### Approved Base Sheets

PP28	PermaPly 28
VTS	Ventsulation
DB	DynaBase
DL 180S	DynaLastic 180 S

### Approved SBS Cap Sheets

DG	DynaGlas FR, or CR
DK	DynaKap FR T1, or CR
DL180	DynaLastic 180 FR, or CR
DL250	DynaLastic 250 FR, or CR
DWC*	DynaWeld Cap FR, or CR
DWC 180*	DynaWeld Cap 180 FR, or CR
DWC 250*	DynaWeld Cap 250 FR, or CR

### Approved SBS Flashing Sheets

DF	DynaFlex
DC	DynaClad
DWB + DWC	DynaWeld Base + Cap

### Approved BUR Ply Sheets

GP4	GlasPly IV
GPP	GlasPly Premier
PP28	PermaPly 28

### NOTES:

- All wind, hail and ponding water riders are available for an additional charge. Reference individual wind, hail and ponding water rider pages for system requirements and charges.
- Non-JM metal may be included in the standard JM Peak Advantage Guarantee at no charge for pinnacle and Summit Contractors or for a \$2.00 per lineal foot upcharge for Peak Contractors.
- (1) All 30-year SBS Guarantees require either a CR Cap or an application of TopGard 4000.
  - (2) All riders require prior written approval of the system requirements from JM Guarantee Services.
  - (3) Pinnacle/Summit options available. Please contact local sales rep for details.
  - (4) Refer to the NRCA Roofing and Waterproofing Manual, Volume 3 Reroofing Part 1, Section 4.3.6 – Existing System Preparation for guidelines on how to prepare and re-cover over various existing roof systems. Please Contact Guarantee Services for project specific requirements.

\* Indicates Membrane for Heat Welding

## Cold-Applied JM SBS Membrane Systems Over Insulation

Term (Yrs.)	Price (US\$/SQ)	Type	Insulation	Cover Board	System <sup>(3)</sup>	Approved Base/Ply(s)	Approved Cap	Flashings	Notes	Wind Rider <sup>(2)</sup>	Hail Rider <sup>(2)</sup>
10	\$8.50 (\$750 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap, 1 Ply + Cap	Any SBS Base, PP28	Any SBS Cap	DF, DC, or DWB + DWC		110 MPH, 120 MPH w/ MBR BA	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap, 1 Ply + Cap	Any SBS Base, PP28	Any SBS Cap	DF, DC, or DWB + DWC	Proper Prep of Substrate		Yes 1" Max.
15	\$12.50 (\$1,000 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap, 2 Plies + Cap	Any SBS Base, PP28	Any SBS Cap	DF, DC, or DWB + DWC		110 MPH, 120 MPH w/ MBR BA	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap, 2 Plies + Cap	Any SBS Base, PP28	Any SBS Cap	DF, DC, or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
20	\$17.00 (\$1,500 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap, 2 Plies + Cap	Any SBS Base, PP28	Any SBS Cap	DF, DC, or DWB + DWC		110 MPH, 120 MPH w/ MBR BA	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap, 2 Plies + Cap	Any SBS Base, PP28	Any SBS Cap	DF, DC, or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
25	\$20.00 (\$2,000 Min.)	New	ENRGY 3 (Required)	Approved Cover Board	2 Base + Cap	Any SBS Base	Any SBS Cap	Any SBS Base + DF, DC or DWB + DWC	All Penetrations Flashed w/ JM PermaFlash	110 MPH, 120 MPH w/ MBR BA	Not Avail.
30 <sup>(1)</sup>	\$25.00 (\$2,500 Min.)	New	ENRGY 3 (Required)	Approved Cover Board	2 Base + Cap	Any SBS Base	Any SBS Cap <sup>(1)</sup>	Any SBS Base + DF, DC or DWB + DWC	All Penetrations Flashed w/ JM PermaFlash	100 MPH	Not Avail.

### Approved Adhesives

MBR	MBR Cold Application Adhesive
MBR P	MBR Premium CAA
MBR BA	MBR Bonding Adhesive

### Approved SBS Base Sheets

DB	DynaBase
DL180S	DynaLastic 180 S
DP	DynaPly T1
DW 250S*	DynaWeld 250 S
DW 180S*	DynaWeld 180 S
DB PR	DynaBase PR

### Approved Cover Boards

DrB*	DuraBoard
RP	RetroPlus
SR GFB <sup>TM**</sup>	JM SECUROCK
Inv	Invinsa RoofBoard

### Approved SBS Cap Sheets

DG	DynaGlas FR, or CR
DK	DynaKap FR T1, or CR
DL180	DynaLastic 180 FR, or CR
DL250	DynaLastic 250 FR, or CR

### Approved SBS Flashing Sheets

DF	DynaFlex
DC	DynaClad
DWB + DWC	DynaWeld Base + Cap

### Approved BUR Ply Sheets

PP28	PermaPly 28
------	-------------

### NOTES:

- All wind, hail and ponding water riders are available for an additional charge. Reference individual wind, hail and ponding water rider pages for system requirements and charges.
- Non-JM metal may be included in the standard JM Peak Advantage Guarantee at no charge for pinnacle and Summit Contractors or for a \$2.00 per lineal foot upcharge for Peak Contractors.
- (1) All 30-year SBS Guarantees require either a CR Cap or an application of TopGard 4000.
  - (2) All riders require prior written approval of the system requirements from JM Guarantee Services.
  - (3) Pinnacle/Summit options available. Please contact local sales rep for details.
  - (4) Refer to the NRCA Roofing and Waterproofing Manual, Volume 3 Reroofing Part 1, Section 4.3.6 – Existing System Preparation for guidelines on how to prepare and re-cover over various existing roof systems. Please Contact Guarantee Services for project specific requirements. Insulation may be mechanically fastened or adhered with urethane adhesive. Use of urethane adhesive requires moisture scan and approval of substrate by JM Guarantee Services.

\* Indicates Membrane for Heat Welding

\*\* SECUROCK is a trademark of USG Corporation

## Cold-Applied JM SBS Membrane Systems Over a Mechanically Fastened Base Sheet

Term (Yrs.)	Price (US\$/SQ)	Type	Base Sheet	Insulation + Cover Board	System <sup>(3)</sup> Over Base Sheet	Approved Base/Ply(s)	Approved Cap	Flashings	Notes	Wind Rider <sup>(2)</sup>	Hail Rider <sup>(2)</sup>
10	\$8.50 (\$750 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 1 Ply + Cap	Any SBS Base, PP28	Any SBS Cap	DynaFlex, DynaClad or DWB + DWC		100 MPH	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 1 Ply + Cap	Any SBS Base, PP28	Any SBS Cap	DynaFlex, DynaClad or DWB + DWC	Proper Prep of Substrate		Yes 1" Max.
15	\$12.50 (\$1,000 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any SBS Base, PP28	Any SBS Cap	DynaFlex, DynaClad or DWB + DWC		100 MPH	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any SBS Base, PP28	Any SBS Cap	DynaFlex, DynaClad or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
20	\$17.00 (\$1,500 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any SBS Base, PP28	Any SBS Cap	DynaFlex, DynaClad or DWB + DWC		100 MPH	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any SBS Base, PP28	Any SBS Cap	DynaFlex, DynaClad or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
25	\$20.00 (\$2,000 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	2 Base + Cap	Any SBS Base	Any SBS Cap	Any SBS Base + DF, DC or DWB + DWC	All Penetrations Flashed w/ JM PermaFlash	100 MPH	Not Avail.
30 <sup>(1)</sup>	\$25.00 (\$2,500 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	2 Base + Cap	Any SBS Base	Any SBS Cap	Any SBS Base + DF, DC or DWB + DWC	All Penetrations Flashed w/ JM PermaFlash	90 MPH	Not Avail.

### Approved Adhesives

MBR	MBR Cold Application Adhesive
MBR P	MBR Premium CAA
MBR BA	MBR Bonding Adhesive

### Approved SBS Base Sheets

DB	DynaBase
DL180S	DynaLastic 180 S
DP	DynaPly T1
DW 250S*	DynaWeld 250 S
DW 180S*	DynaWeld 180 S
DB PR	DynaBase PR
DW 250S*	DynaWeld 250 S
DW 180S*	DynaWeld 180 S
DB PR	DynaBase PR

### Approved Base Sheets

PP28	PermaPly 28
VTS	Ventsulation
DB	DynaBase
DL 180S	DynaLastic 180 S

### Approved SBS Cap Sheets

DG	DynaGlas FR, or CR
DK	DynaKap FR T1, or CR
DL180	DynaLastic 180 FR, or CR
DL250	DynaLastic 250 FR, or CR
DWC 250*	DynaWeld Cap 250 FR, or CR

### Approved SBS Flashing Sheets

DF	DynaFlex
DC	DynaClad
DWB + DWC	DynaWeld Base + Cap

### Approved BUR Ply Sheets

PP28	PermaPly 28
------	-------------

### NOTES:

- All wind, hail and ponding water riders are available for an additional charge. Reference individual wind, hail and ponding water rider pages for system requirements and charges.
- Non-JM metal may be included in the standard JM Peak Advantage Guarantee at no charge for pinnacle and Summit Contractors or for a \$2.00 per lineal foot upcharge for Peak Contractors.
- (1) All 30-year SBS Guarantees require either a CR Cap or an application of TopGard 4000.
  - (2) All riders require prior written approval of the system requirements from JM Guarantee Services.
  - (3) Pinnacle/Summit options available. Please contact local sales rep for details.
  - (4) Refer to the NRCA Roofing and Waterproofing Manual, Volume 3 Reroofing Part 1, Section 4.3.6 – Existing System Preparation for guidelines on how to prepare and re-cover over various existing roof systems. Please Contact Guarantee Services for project specific requirements. Insulation may be mechanically fastened or adhered with urethane adhesive. Use of urethane adhesive requires moisture scan and approval of substrate by JM Guarantee Services.

\* Indicates Membrane for Heat Welding

## Self-Adhering JM SBS Membrane Systems Over Insulation

Term (Yrs.)	Price (US\$/SQ)	Type	Insulation	Cover Board	System	Approved Base/Ply(s)	Approved Cap <sup>(6)</sup>	Flashings	Notes	Wind Rider	Hail Rider
10	\$8.50 (\$750 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap	Any SBS Base	Any SBS Cap	CB-BF + CB-CF or DWB + DWC		Not Avail.	Not Avail.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap	Any SBS Base	Any SBS Cap	CB-BF + CB-CF or DWB + DWC	Proper Prep of Substrate		
15	\$12.50 (\$1,000 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap	Any SBS Base	Any SBS Cap	CB-BF + CB-CF or DWB + DWC			
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap	Any SBS Base	Any SBS Cap	CB-BF + CB-CF or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		
20	\$17.00 (\$1,500 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap	Any SBS Base	Any SBS Cap	CB-BF + CB-CF or DWB + DWC			
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board (Optional)	1 Base + Cap	Any SBS Base	Any SBS Cap	CB-BF + CB-CF or DWB + DWC	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		
25	\$20.00 (\$2,000 Min.)	New	ENRGY 3 (Required)	Approved Cover Board	2 Base + Cap	Any SBS Base	Any SBS Cap	CB-BF + CB-CF or DWB + DWC	All Penetrations Flashed w/ JM PermaFlash		
30	Not Available										

### Attachment Methods

SA Self-Adhering  
HW Heat-Weld

### Approved SBS Base Sheets

CBB JMCleanBond Base  
DG DynaGrip Base SD/SA  
DG DynaGrip Base SA/SA  
BG BaseGrip SD/SA

### Approved Cover Boards

SR GFB<sup>TM\*\*</sup> JM SECUROCK  
Inv InvinSA RoofBoard

### Approved SBS Cap Sheets

CBC JMCleanBond Cap  
DGC DynaGrip Cap  
DWC DynaWeld Cap (HW Only)

### Approved SBS Flashing Sheets

CB-BF JMCleanBond Polyester Base Flashing  
CB-CF JMCleanBond Polyester Cap Flashing  
DWB + DWC DynaWeld Base + Cap

### NOTES:

Non-JM metal may be included in the standard JM Peak Advantage Guarantee at no charge for pinnacle and Summit Contractors or for a \$2.00 per lineal foot upcharge for Peak Contractors.

(4) Refer to the NRCA Roofing and Waterproofing Manual, Volume 3 Reroofing Part 1, Section 4.3.6 – Existing System Preparation for guidelines on how to prepare and re-cover over various existing roof systems. Please Contact Guarantee Services for project specific requirements. Insulation may be mechanically fastened or adhered with urethane adhesive. Use of urethane adhesive requires moisture scan and approval of substrate by JM Guarantee Services.

(6) JMCleanBond SBS Cap Sheet may only be applied over JMCleanBond SBS Base Sheet. DynaGrip SA/SA Base is for use with self-adhering DynaGrip Cap SD/SA products.

\*\* SECUROCK is a trademark of USG Corporation

## Asphalt-Applied JM BUR Membrane Systems Over Insulation

Term (Yrs.)	Price (US\$/SQ)	Type	Insulation	Cover Board	System <sup>(3)</sup>	Approved Ply	Approved Cap or Surfacing	Flashings	Notes	Wind Rider <sup>(2)</sup>	Hail Rider <sup>(2)</sup>
10	\$8.50 (\$750 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board	2 Plies + Cap, 3 Plies + Surfacing	Any BUR Ply	Approved BUR Cap or Surfacing	DF, DC, or DWB + DWC, or DL 180 S + GK		120 MPH, 140 MPH w/ MF DL 180S	Yes 2" Max. w/ GVL
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board	2 Plies + Cap, 3 Plies + Surfacing	Any BUR Ply	Approved BUR Cap or Surfacing	DF, DC, or DWB + DWC, or DL 180 S + GK	Proper Prep of Substrate		
15	\$12.50 (\$1,000 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board	3 Plies + Cap, 4 Plies + Surfacing	Any BUR Ply	Approved BUR Cap or Surfacing	DF, DC, or DWB + DWC, or DL 180 S + GK		120 MPH, 140 MPH w/ MF DL 180S	Yes 2" Max. w/ GVL
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board	3 Plies + Cap, 4 Plies + Surfacing	Any BUR Ply	Approved BUR Cap or Surfacing	DF, DC, or DWB + DWC, or DL 180 S + GK	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		
20	\$17.00 (\$1,500 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board	3 Plies + Cap, 4 Plies + Surfacing	PP28 or GPP	Approved BUR Cap or GVL	DF, DC, or DWB + DWC, or DL 180 S + GK		120 MPH, 140 MPH w/ MF DL 180S	Yes 2" Max. w/ GVL
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board	3 Plies + Cap, 4 Plies + Surfacing	PP28 or GPP	Approved BUR Cap or GVL	DF, DC, or DWB + DWC, or DL 180 S + GK	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		
25	\$20.00 (\$2,000 Min.)	New	ENRGY 3 (Required)	Approved Cover Board	4 Plies + Cap, 5 Plies + Surfacing	PP28 or GPP	GK CR or GVL	DL 180 S + DF, DL 180 S + DC, or DWB + DWC	All Penetrations Flashed w/ JM PermaFlash	120 MPH, 120 MPH w/ MF DL 180S	Not Avail.
30	Not Available										

### Attachment Methods

AA	Asphalt-Applied
HW	Heat-Weld
CA	Cold-Applied
MF	Mechanically Fastened

### Approved BUR Ply

GP4	GlasPly IV
GPP	GlasPly Premier
PP28	PermaPly 28

### Approved Cover Boards

RFB	½" Retro-Fit Board
DrB	DuraBoard
F	Fesco
RP	RetroPlus
SR GFBTM*	JM SECUROCK

### Approved BUR Cap Sheets

GK	GlasKap
GK CR	GlasKap CR

### Approved Flashing Sheets

DF	DynaFlex
DC	DynaClad
DWB + DWC	DynaWeld Base + Cap
DL 180S	DynaLastic 180 S (Backer Only)

### Surfacing

CTG	Coatings - Includes TopGard 4000, TopGard 5000, TopGard A, Fibrated Aluminum Coating
GVL	Gravel

### NOTES:

All wind, hail and ponding water riders are available for an additional charge. Reference individual wind, hail and ponding water rider pages for system requirements and charges.

Non-JM metal may be included in the standard JM Peak Advantage Guarantee at no charge for pinnacle and Summit Contractors or for a \$2.00 per lineal foot upcharge for Peak Contractors.

(2) All riders require prior written approval of the system requirements from JM Guarantee Services.

(3) Pinnacle/Summit options available. Please contact local sales rep for details.

(4) Refer to the NRCA Roofing and Waterproofing Manual, Volume 3 Reroofing Part 1, Section 4.3.6 – Existing System Preparation for guidelines on how to prepare and re-cover over various existing roof systems. Please Contact Guarantee Services for project specific requirements. Insulation may be mechanically fastened or adhered with urethane adhesive. Use of urethane adhesive requires moisture scan and approval of substrate by JM Guarantee Services.

\*\* SECUROCK is a trademark of USG Corporation

## Asphalt-Applied JM BUR Membrane Systems Over a Mechanically Fastened Base Sheet

Term (Yrs.)	Price (US\$/SQ)	Type	Base Sheet	Insulation + Cover Board	System <sup>(3)</sup> over Base Sheet	Approved Base/Ply(s)	Approved Cap or Surfacing	Flashings	Notes	Wind Rider <sup>(2)</sup>	Hail Rider <sup>(2)</sup>
10	\$8.50 (\$750 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	2 Plies + Cap, 3 Plies + Surfacing	Any BUR Ply	Approved BUR Cap or Surfacing	DF, DC, or DWB + DWC, or DL 180S + GK		120 MPH, 140 MPH w/ MF DL 180S	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	2 Plies + Cap, 3 Plies + Surfacing	Any BUR Ply	Approved BUR Cap or Surfacing	DF, DC, or DWB + DWC, or DL 180S + GK	Proper Prep of Substrate		
15	\$12.50 (\$1,000 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	3 Plies + Cap, 4 Plies + Surfacing	Any BUR Ply	Approved BUR Cap or Surfacing	DF, DC, or DWB + DWC, or DL 180S + GK		120 MPH, 140 MPH w/ MF DL 180S	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	3 Plies + Cap, 4 Plies + Surfacing	Any BUR Ply	Approved BUR Cap or Surfacing	DF, DC, or DWB + DWC, or DL 180S + GK	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		
20	\$17.00 (\$1,500 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	3 Plies + Cap, 4 Plies + Surfacing	PP28 or GPP	Approved BUR Cap or GVL	DF, DC, or DWB + DWC, or DL 180S + GK		120 MPH, 140 MPH w/ MF DL 180S	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	3 Plies + Cap, 4 Plies + Surfacing	PP28 or GPP	Approved BUR Cap or GVL	DF, DC, or DWB + DWC, or DL 180S + GK	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		
25	\$20.00 (\$2,000 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	4 Plies + Cap, 4 Plies + Surfacing	PP28 or GPP	GK CR or GVL	DL 180S + DF, DL 180S + DC, or DWB + DWC	All Penetrations Flashed w/ JM PermaFlash	120 MPH, 130 MPH w/MF DL 180S	Not Avail.
30	Not Available										

### Attachment Methods

AA	Asphalt-Applied
HW	Heat-Weld
CA	Cold-Applied
MF	Mechanically Fastened

### Approved BUR Ply

GP4	GlasPly IV
GPP	GlasPly Premier
PP28	PermaPly 28

### Approved Base Sheets

PP28	PermaPly 28
VTS	Ventsulation
DB	DynaBase

### Approved BUR Cap Sheets

GK	GlasKap
GK CR	GlasKap CR

### Approved Flashing Sheets

DF	DynaFlex
DC	DynaClad
DWB + DWC	DynaWeld Base + Cap
DL 180S	DynaLastic 180 S (Backer Only)

### Surfacing

CTG	Coatings - Includes TopGard 4000, TopGard 5000, TopGard A, Fibrated Aluminum Coating
GVL	Gravel

### NOTES:

All wind, hail and ponding water riders are available for an additional charge. Reference individual wind, hail and ponding water rider pages for system requirements and charges.

Non-JM metal may be included in the standard JM Peak Advantage Guarantee at no charge for pinnacle and Summit Contractors or for a \$2.00 per lineal foot upcharge for Peak Contractors.

(2) All riders require prior written approval of the system requirements from JM Guarantee Services.

(3) Pinnacle/Summit options available. Please contact local sales rep for details.

(4) Refer to the NRCA Roofing and Waterproofing Manual, Volume 3 Reroofing Part 1, Section 4.3.6 – Existing System Preparation for guidelines on how to prepare and re-cover over various existing roof systems. Please Contact Guarantee Services for project specific requirements.



## Heat-Weld JM APP Membrane Systems Over Insulation

Term (Yrs.)	Price (US\$/SQ)	Type	Insulation	Cover Board	System <sup>(3)</sup>	Approved Base/Ply(s)	Approved Cap	Flashings	Notes	Wind Rider <sup>(2)</sup>	Hail Rider <sup>(2)</sup>
10	\$8.50 (\$750 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 1 Ply + Cap	Any APP Base, Any BUR Ply	Any APP Cap	Any APP Base + A4MF, BMF, or TMF		120 MPH	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 1 Ply + Cap	Any APP Base, Any BUR Ply	Any APP Cap	Any APP Base + A4MF, BMF, or TMF	Proper Prep of Substrate		Yes 1" Max.
15	\$12.50 (\$1,000 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 2 Plies + Cap	Any APP Base, Any BUR Ply	Any APP Cap	Any APP Base + A4MF, BMF, or TMF		120 MPH	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 2 Plies + Cap	Any APP Base, Any BUR Ply	Any APP Cap	Any APP Base + A4MF, BMF, or TMF	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
20	\$17.00 (\$1,500 Min.)	New	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 2 Plies + Cap	A4S, BS, TS or GPP	A4MF, BMF, TMF	Any APP Base + A4MF, BMF, or TMF		120 MPH	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	ENRGY 3 or Approved Cover Board	Approved Cover Board	1 Base + Cap, 2 Plies + Cap	A4S, BS, TS or GPP	A4MF, BMF, TMF	Any APP Base + A4MF, BMF, or TMF	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
25	\$20.00 (\$2,000 Min.)	New	ENRGY 3 (Required)	Approved Cover Board	2 Base + Cap, 3 Plies + Cap	Any APP Base, GPP	A4MF, BMF, TMF	Any APP Base + A4MF, BMF, or TMF	All Penetrations Flashed w/ JM PermaFlash	120 MPH	Not Avail.
30 <sup>(1)</sup>	\$25.00 (\$2,500 Min.)	New	ENRGY 3 (Required)	Approved Cover Board	2 Base + Cap	Any APP Base	A4MF, BMF, TMF <sup>(1)</sup>	Any APP Base + A4MF, BMF, or TMF	All Penetrations Flashed w/ JM PermaFlash	100 MPH	Not Avail.

### Attachment Methods

HW Heat-Weld  
CA Cold-Applied

### Approved APP Base Sheets

JAB\* JM APP Base  
A4S\* APPEX 4S  
BS\* BICOR S  
TS\* TRICOR S

### Approved Cover Boards

RFB ½" Retro-Fit  
DrB\* DuraBoard  
F Fesco  
RP RetroPlus  
SR GFB<sup>TM\*\*</sup> JM SECURROCK

### Approved APP Cap Sheets

A4MF\* APPEX 4M FR  
BMF\* BICOR M FR  
A4S\* APPEX 4S  
TMF\* TRICOR M FR

### Approved BUR Ply Sheets

GP4 GlasPly IV  
GPP GlasPly Premier  
PP28 PermaPly 28

### NOTES:

All wind, hail and ponding water riders are available for an additional charge. Reference individual wind, hail and ponding water rider pages for system requirements and charges.

Non-JM metal may be included in the standard JM Peak Advantage Guarantee at no charge for pinnacle and Summit Contractors or for a \$2.00 per lineal foot upcharge for Peak Contractors.

(1) All 30-year APP Guarantees require either a CR Cap or an application of TopGard 4000.

(2) All riders require prior written approval of the system requirements from JM Guarantee Services.

(3) Pinnacle/Summit options available. Please contact local sales rep for details.

(4) Refer to the NRCA Roofing and Waterproofing Manual, Volume 3 Reroofing Part 1, Section 4.3.6 – Existing System Preparation for guidelines on how to prepare and re-cover over various existing roof systems. Please Contact Guarantee Services for project specific requirements. Insulation may be mechanically fastened or adhered with urethane adhesive. Use of urethane adhesive requires moisture scan and approval of substrate by JM Guarantee Services.

\* Indicates Cover Board or Membrane for Heat Welding

\*\* SECURROCK is a trademark of USG Corporation

## Heat-Weld JM APP Membrane Systems Over a Mechanically Fastened Base Sheet

Term (Yrs.)	Price (US\$/SQ)	Type	Base Sheet	Insulation + Cover Board	System <sup>(3)</sup> over Base Sheet	Approved Base/Ply(s)	Approved Cap	Flashings	Notes	Wind Rider <sup>(2)</sup>	Hail Rider <sup>(2)</sup>
10	\$8.50 (\$750 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 1 Ply + Cap	Any APP Base, Any BUR Ply	Any APP Cap	Any APP Base + A4MF, BMF, or TMF		120 MPH	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 1 Ply + Cap	Any APP Base, Any BUR Ply	Any APP Cap	Any APP Base + A4MF, BMF, or TMF	Proper Prep of Substrate		Yes 1" Max.
15	\$12.50 (\$1,000 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any APP Base, Any BUR Ply	Any APP Cap	Any APP Base + A4MF, BMF, or TMF		120 MPH	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	Any APP Base, Any BUR Ply	Any APP Cap	Any APP Base + A4MF, BMF, or TMF	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
20	\$17.00 (\$1,500 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	A4S, BS, TS or GPP	A4MF, BMF, TMF	Any APP Base + A4MF, BMF, or TMF		120 MPH	Yes 1" Max.
		Re-Cover <sup>(4)</sup>	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	1 Base + Cap, 2 Plies + Cap	A4S, BS, TS or GPP	A4MF, BMF, TMF	Any APP Base + A4MF, BMF, or TMF	Moisture Scan or Remove Roof Cover and Replace Wet Insulation		Yes 1" Max.
25	\$20.00 (\$2,000 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	2 Base + Cap, 3 Plies + Cap	Any APP Base, GPP	A4MF, BMF, TMF	Any APP Base + A4MF, BMF, or TMF	All Penetrations Flashed w/ JM PermaFlash	120 MPH	Not Avail.
30 <sup>(1)</sup>	\$25.00 (\$2,500 Min.)	New	Any Approved Base Sheet	Optional Over or Under MF Base Sheet	2 Base + Cap	Any APP Base	A4MF, BMF, TMF <sup>(1)</sup>	Any APP Base + A4MF, BMF, or TMF	All Penetrations Flashed w/ JM PermaFlash	100 MPH	Not Avail.

### Attachment Methods

HW	Heat-Weld
CA	Cold-Applied

### Approved APP Base Sheets

JAB*	JM APP Base
A4S*	APPeX 4S
BS*	BICOR S
TS*	TRICOR S

### Approved Base Sheets

PP28	PermaPly 28
VTS	Ventulation
JAB*	JM APP Base

### Approved APP Cap Sheets

A4MF*	APPeX 4M FR
BMF*	BICOR M FR
A4S*	APPeX 4S
TMF*	TRICOR M FR

### Approved BUR Ply Sheets

GP4	GlasPly IV
GPP	GlasPly Premier
PP28	PermaPly 28

### NOTES:

All wind, hail and ponding water riders are available for an additional charge. Reference individual wind, hail and ponding water rider pages for system requirements and charges.

Non-JM metal may be included in the standard JM Peak Advantage Guarantee at no charge for pinnacle and Summit Contractors or for a \$2.00 per lineal foot upcharge for Peak Contractors.

(1) All 30-year APP Guarantees require either a CR Cap or an application of TopGard 4000.

(2) All riders require prior written approval of the system requirements from JM Guarantee Services.

(3) Pinnacle/Summit options available. Please contact local sales rep for details.

(4) Refer to the NRCA Roofing and Waterproofing Manual, Volume 3 Reroofing Part 1, Section 4.3.6 – Existing System Preparation for guidelines on how to prepare and re-cover over various existing roof systems. Please Contact Guarantee Services for project specific requirements.

\* Indicates Membrane for Heat Welding

## Wind Charges and Requirements<sup>(2)</sup>

Wind (MPH) <sup>(1)</sup>	Price (US\$/SQ)	Deck <sup>(3)</sup>	Membrane	Membrane Attachment	Insulation	Cover Board	Insulation and Cover Board Attachment	Metal Edge <sup>(4)</sup>	Notes	Docs	Approval
72	No Charge	See Note	SBS	AA/HW/CA	ENRGY 3	Any Approved JM Cover Board	Multiple Options Exist—Contact JM Guarantee Services	Presto Lock or Presto-Tite Fascia Systems or Shop Fab <sup>(4)</sup>		Written Approval, Pull Test	Tech. Specialist
			BUR	AA							
			APP	HW							
80	\$1.00	See Note	SBS	AA/HW/CA	ENRGY 3	Any Approved JM Cover Board	Multiple Options Exist—Contact JM Guarantee Services	Presto Lock or Presto-Tite Fascia Systems or Shop Fab <sup>(4)</sup>		Written Approval, Pull Test	Tech. Specialist
			BUR	AA							
			APP	HW							
90	\$2.00	See Note	SBS	AA/HW/CA	ENRGY 3	Any Approved JM Cover Board	Multiple Options Exist—Contact JM Guarantee Services	Presto Lock or Presto-Tite Fascia Systems or Shop Fab <sup>(4)</sup>		Written Approval, Pull Test	Tech. Specialist
			BUR	AA							
			APP	HW							
100	\$3.00	See Note	SBS	AA/HW/CA	ENRGY 3	½" JM SECUROCK* or JM RetroPlus	Multiple Options Exist—Contact JM Guarantee Services	Presto Lock or Presto-Tite Fascia Systems or Shop Fab <sup>(4)</sup>	Mechanically Fastened DynaLastic 180 S Systems May Use Any Cover Board	Written Approval, Pull Test	Tech. Specialist
			BUR	AA							
			APP	HW							
110	\$4.00	See Note	SBS	AA/HW/CA	ENRGY 3	½" JM SECUROCK*	MF JM SECUROCK Through ENRGY 3 or Both Layers AA or Set in 2PUIA	Presto-Tite Fascia System	Mechanically Fastened DynaLastic 180 S Systems May Use Any Cover Board	Written Approval, Pull Test	Guarantee Services Manager
			BUR	AA							
			APP	HW							
120	\$5.00	See Note	SBS	AA/HW	ENRGY 3	½" JM SECUROCK*	MF JM SECUROCK Through ENRGY 3 or Both Layers AA or Set in 2PUIA	Presto-Tite Fascia System	Mechanically Fastened DynaLastic 180 S Systems May Use Any Cover Board	Written Approval, Pull Test	Guarantee Services Manager
			BUR	AA							
			APP	HW							
130	\$6.00	See Note	SBS	AA/HW	ENRGY 3	Any Approved JM Cover Board	Presecured With 5 Fasteners per Board	Presto-Tite Fascia System	Mechanically Fastened DynaLastic 180 S System Required	Written Approval, Pull Test	Guarantee Services Manager
			BUR	AA							
140	\$7.00	See Note	SBS	AA/HW	ENRGY 3	Any Approved JM Cover Board	Presecured With 5 Fasteners per Board	Presto-Tite Fascia System	Mechanically Fastened DynaLastic 180 S System Required	Written Approval, Pull Test	Guarantee Services Manager
			BUR	AA							

### Attachment Methods

AA	Asphalt-Applied
HW	Heat-Weld
CA	Cold-Applied
MF	Mechanically Fastened

### Insulation & Cover Board Attachment

MF	Mechanically Fastened
2PUIA	JM Two-Part Urethane Insulation Adhesive

**NOTES:** All wind riders must be pre-approved in writing prior to job start. JM will not issue wind riders on completed projects regardless of specification or documentation.

(1) 55 MPH wind speed is standard with all approved JM Peak Advantage guaranteed systems.

(2) All wind requirements contained herein supersede individual membrane system requirements on the Multi-Ply Charges and Requirements Pages. All wind riders require approved design from JM Guarantee Services. Please contact JM for documentation requirements.

(3) Approved decks are typically Min. 22 gauge steel, Min. ¾" plywood or 1" wood plank, Min. 3000 psi structural concrete, or LWC over structural concrete or min. 22 gauge deck.

(4) If JM metal is not specified, SMACNA and/or NRCA ES-1 approved details and materials are required and must be submitted to JM for review. Non-JM metal may be included in the JM Guarantee for a \$2.00 per lineal foot upcharge but are not eligible for inclusion in wind riders above 100 mph.

(5) Wind guarantee term to correspond to membrane guarantee term requirement pages. See appropriate Multi-Ply Charges and Requirements Pages.

\* SECUROCK is a trademark of USG Corporation

## Hail Charges and Requirements<sup>(2)</sup>

Hail (dia)	Price (US\$/SQ)	Insulation <sup>(1)</sup>	Cover Board <sup>(1)</sup>	Insulation Attachment	Cap Sheet/Surfacing <sup>(1)</sup>	Attachment	Docs	Approval
1" Max.	\$1.00	ENRGY 3	Any Approved JM Cover Board	Insulation and Cover Board – Fastening Appropriate for Deck Type	SBS – DL Cap Sheet Only	AA/CA & HW (SBS Only)	Written Approval	Tech Specialist
					BUR – Gravel Surfaced			
					APP – Any Approved Cap	HW/CA		
1.5" Max.	\$1.50	ENRGY 3	Any Approved JM Cover Board	Insulation and Cover Board – Fastening Appropriate for Deck Type	SBS – Not Available	AA	Written Approval	Tech Specialist
					BUR – Gravel Surfaced			
					APP – Not Available			
2" Max.	\$2.00	ENRGY 3	Any Approved JM Cover Board	Insulation and Cover Board – Fastening Appropriate for Deck Type	SBS – Not Available	AA	Written Approval	Tech Specialist
					BUR – Gravel Surfaced			
					APP – Not Available			

## Ponding Water Charges and Requirements<sup>(2)</sup>

Maximum Depth	Price (US\$/SQ)	Insulation <sup>(1)</sup>	Cover Board <sup>(1)</sup>	Insulation Attachment	Cap Sheet/Surfacing <sup>(1)</sup>	Attachment	Docs	Approval
¾" Max. depth	\$2.00	ENRGY 3	Any Approved JM Cover Board	Insulation and Cover Board – Fastening Appropriate for Deck Type	SBS – Not Available	AA	Written Approval	Tech Specialist
					BUR – Gravel Surfaced			
					APP – Not Available			

**NOTES:**

(1) Hail and puncture guarantee term to correspond to membrane guarantee term requirement pages. See appropriate Multi-Ply Charges and Requirements Pages.

(2) Hail and ponding Riders are available for a Maximum 20-year Guarantee Term.

### Other Services, Charges and Approvals

Guarantee Corrections	\$100.00 Min. for corrections requiring re-issuance of guarantee
Inspection Fee	\$750.00 for projects under 500 squares. \$1.00 per square for each additional square
Reinspection Fee	Inspection fee for 3rd and each additional final inspection required
Interim inspection fee as required by owner or contract	\$500.00 per occurrence
Guarantee Transfer	Inspection fee plus owner required to make any repairs necessary to maintain guarantee coverage
Engineering Services	\$1,000.00 for each project requiring an engineering stamp
Annual Inspection and Report	Inspection fee will be the current fee at time of inspection to be billed at completion of inspection

### Limited Material Warranty Fees

10 Year BUR, SBS, APP	\$100.00
15 Year BUR, SBS, APP	\$150.00
20 Year BUR, SBS, APP	\$200.00