

HOMEOWNER _____ ADDRESS _____

CITY _____ PROVINCE _____ POSTAL CODE _____

<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> RETROFIT
Number of Bags Used	Estimated Value of Previous Insulation RSI/R
Area of Coverage	Other Type(s) of Insulation in Attic
Thickness of Insulation	Depth of Previous Insulation mm/inches

Net Contents: 14.3 kg / 31.5 lbs.

Thermal Resistance To obtain insulation resistance of:		Bags per Unit Area Number of bags per 100m ² /1000ft ² should not be less than:		Minimum Thickness Insulation/Cavity Thickness:		Maximum Coverage Contents of the bag shall not cover more than:		Minimum Weight The weight per m ² /ft ² of installed insulation shall not be less than:	
RSI VALUE	R-VALUE	100 m ²	1000 ft ²	mm	Inches	m ²	ft ²	kg/m ²	lb/ft ²
2.1	12	5.8	5.4	114	4.5	17.1	184.2	0.83	0.17
2.8	16	7.9	7.3	150	5.9	12.7	136.6	1.13	0.23
3.5	20	9.8	9.1	183	7.2	10.2	110.0	1.40	0.29
4.2	24	11.9	11.1	218	8.6	8.4	90.4	1.70	0.35
4.9	28	13.9	13.0	251	9.9	7.2	77.2	1.99	0.41
5.6	32	16.0	14.9	284	11.2	6.2	67.1	2.29	0.47
6.3	36	18.2	16.9	318	12.5	5.5	59.1	2.60	0.53
7.0	40	20.2	18.8	348	13.7	4.9	53.2	2.89	0.59
7.7	44	22.5	20.9	381	15.0	4.4	47.8	3.22	0.66
8.4	48	24.7	22.9	411	16.2	4.1	43.6	3.53	0.72
8.8	50	25.8	23.9	427	16.8	3.9	41.8	3.68	0.75
9.1	52	26.9	25.0	442	17.4	3.7	40.0	3.84	0.79
9.8	56	29.1	27.1	472	18.6	3.4	36.9	4.16	0.85
10.5	60	31.5	29.2	503	19.8	3.2	34.2	4.50	0.92
11.3	64	33.6	31.2	531	20.9	3.0	32.0	4.80	0.98
12.0	68	36.0	33.5	561	22.1	2.8	29.9	5.15	1.05
12.3	70	37.1	34.4	574	22.6	2.7	29.0	5.30	1.08
12.7	72	38.3	35.6	589	23.2	2.6	28.1	5.47	1.12
13.4	76	40.6	37.7	617	24.3	2.5	26.5	5.80	1.19
14.1	80	43.0	39.9	645	25.4	2.3	25.1	6.14	1.26

INSULATION CONTRACTOR SIGNATURE _____ DATE _____

COMPANY _____ ADDRESS _____ PHONE _____

HOME BUILDER SIGNATURE _____ DATE _____

COMPANY _____ ADDRESS _____ PHONE _____