



**ONE SYSTEM. ENDLESS SOLUTIONS.**

**JM SBS. THE MOST CUSTOMIZABLE ROOFING SYSTEM AVAILABLE.**


Find the solution to meet harsh environments, high performance codes and tight budgets.




# ONE SOURCE MULTIPLE APPLICATIONS

Find the application to fit your needs. The flexibility of JM SBS allows you to determine the most efficient system to save you time, labor, and cost.

		FIBERGLASS ASTM D6163	POLYESTER ASTM D6164	COMPOSITE ASTM D6162
<b>HOT/COLD APPLICATION</b> 	CAP	DynaGlas® DynaGlas FR  DynaGlas 30 FR	DynaLastic® 180 DynaLastic 180 FR  DynaLastic 250 DynaLastic 250 FR 	DynaKap® FR T1  DynaMax® FR  DynaMax FR Plus
	BASE	DynaBase®	DynaBase PR DynaLastic 180 S DynaFast® 180 S  DynaLastic 250 S	DynaPly® T1 DynaMax™ FR S DynaMax FR Plus S
<b>HEAT-WELDED APPLICATION</b> 	CAP	DynaWeld® Cap DynaWeld Cap FR	DynaWeld Cap 180 FR  DynaWeld Cap 250 FR 	DynaKap FR T1 HW  DynaMax FR HW 
	BASE	DynaBase HW DynaWeld Base	DynaWeld 180 S DynaFast 180 HW  DynaWeld 250 S DynaFast 250 HW 	DynaPly T1 HW DynaMax FR S HW
		FIBERGLASS	POLYESTER	NON-REINFORCED
<b>SELF-ADHERING APPLICATION</b> 	CAP	DynaGrip® Cap	DynaGrip Cap PR	—
	BASE	DynaGrip Base SD/SA DynaGrip Base SA/SA DynaGrip Base P/SA JM BaseGrip® SD/SA- ASTM D1970	DynaGrip Base PR SD/SA DynaGrip Base PR SA/SA DynaGrip Base PR P/SA	—
	VAPOR BARRIERS	JM Vapor Barrier SAR	—	JM Vapor Barrier
 <b>FLASHINGS</b>	DynaFlex®  - Composite Reinforced			

 Also available in highly reflective granule  
SRI Initial: 85 SRI 3-year: 80 CRRC ID: 0662-0042c

 Mechanically Attached

Additional products available on a made to order basis. Inquire with your local sales representative for additional information.

# BUILD THE ROOF YOU NEED.

The key advantage of the JM SBS customizable system is your ability to pick and choose the different layers of the system you need to meet your specific job requirements and codes. To make results even more dependable, JM manufactures all of these SBS building blocks in house—we're your trusted, one source to build the roof the way you need it.

	LOWER INSTALLED COST	WIDE TEMPERATURE RANGE	REDUCED OCCUPANT IMPACT	SOLVENT-FREE
<b>HOT ASPHALT</b> A waterproofing and adhesive solution that sets as soon as it cools. This proven application is the lowest cost adhesive, standard type IV. Polymer modified also available.	◐			
<b>COLD-APPLIED</b> Combines all the waterproofing and adhesive benefits of hot asphalt, without needing the kettle. Easy to apply as a spray or with a squeegee.		◐		
<b>HEAT-WELDED</b> Additional bottom thickness provided to adhere during application. Minimal equipment needed (built into membrane) and no additional adhesives required.	●	●	●	●
<b>MECHANICALLY FASTENED</b> Installs in similar manner as common single ply. Flexible cap sheet for hot, cold or heat weld. Minimal equipment needed and no additional adhesives required.	●	●	●	●
<b>SELF-ADHERED</b> Full SBS blend for strong inner ply bonds. Minimal equipment needed and no additional adhesives required. Provides lowest occupant impact.	●		●	●

WE KNOW  
THE SCIENCE  
OF LASTING  
SYSTEMS.

**LONG-TERM**  
roofs are  
built to last

**LONG HISTORY**  
of a company  
built on success  
and innovation

**LONG GUARANTEES**  
built on integrity  
and our strong  
reputation

◐ Good    ● Better



# PEAK ADVANTAGE *Johns Manville*

Johns Manville offers one of the most comprehensive guarantees in the roofing industry. That's the advantage you can expect from a financially stable, dependable leader that has been around for over 160 years.

 **Johns Manville**  
A Berkshire Hathaway Company

717 17th St.  
Denver, CO 80202  
(800) 922-5922  
[www.jm.com/roofing](http://www.jm.com/roofing)

 [facebook.com/JohnsManville](https://facebook.com/JohnsManville)

 [JohnsManvillevideos](https://JohnsManvillevideos)

 [@JMRoofingSystem](https://@JMRoofingSystem)

 [www.jmroofing.news](http://www.jmroofing.news)